

Scout Report sent out

Noted in the NID File

Location map pinned

### Approval or Disapproval Letter

Date Completed, P. & A, or  
operations suspended.

Pin changed on location map

Affidavit and Record of A &amp; P

### Water Shut-Off Test

### Gas-Oil-Ratio Test

Well Log Filed

## ONLY 10 EDITIONS

Entered in NID File ✓

Ex. 10. S.R. Sheet 25

Location Map Pinned

Card delayed

IWR for State or Fed Land \_\_\_\_\_

Checked by Chief

Copy N I D to Field Office \_\_\_\_\_

Approval letter \_\_\_\_\_

Disruption: better

COMPLETION DATA:

Date Well Completed 5-13-58

QW 1 MAY 1964

GW 5 OS 1A

Location: Island of Guam \*\*\*\*\*

Board of Directors

State of Fee Land \_\_\_\_\_

## LOGS FILED

Driller's Log... 6-B-58

Electric Logs (No. ) 2

E-1 GR GR-N Micro

Lat \_\_\_\_\_ Mi-L \_\_\_\_\_ Sonic \_\_\_\_\_ Others Radiospectrum (2)

Others Radioactivity (2)

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo

**APPROVED**

UNITED STATES

Cont. No. 1-149-Ind-1339

DEC 30 1957

DEPARTMENT OF THE INTERIOR

Allottee .....

GEOLOGICAL SURVEY

Lease No. ....

SAMUEL L. PLUMMER

ACTING DISTRICT ENGINEER Lease No. 146029

# SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Port Worth, Texas, December 23, 1957

Navajo Tribe 'F'

Well No. 6 is located 2120 ft. from S line and 1960 ft. from E line of sec. 30

NW 1/4 Sec. 30 40 South, 2 East SLM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Aneth San Juan Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4727 ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

OBJECTIVE FORMATION	SIZE CASING		CASING PROGRAM (APPROX)	
			Set At	Cement
Top of Aneth 3550'	3-5/8" {1500'}	24.0# New	1500'	1000 ex.
	3-1/2" {5100'}	14.0# New		
	3-1/2" {230'}	15.5# New	5750'	500 ex.

*ALL from LTR 1-15-58*

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE TEXAS COMPANY

Address P. O. Box 1720

Port Worth, Texas

THE TEXAS COMPANY

By

J. J. Velten

Title Division Civil Engineer

/s/wh



SAN JUAN COUNTY, UTAH

Scale 1"=2000'

RECEIVED

DEC 26 1957

BUREAU OF LAND SURVEY  
U.S. DEPARTMENT OF THE INTERIOR

This is to certify that the courses, distances and objects reflected on the plat to which this certificate is affixed were observed and compiled under my supervision and, according to my best knowledge and belief, are true and correct.



*J. J. Velten*  
Division Civil Engineer  
The Texas Company

Registered Professional Engineer - State of Texas

JAN 2 1956

The Texas Company  
P. O. Box 1780  
Fort Worth 1, Texas

Attention: J. J. Walton, Division Civil Engineer

Gentlemen:

This is to acknowledge receipt of your letter of January 22, 1956, and the notices of intention to drill for the following wells located in San Juan County, Utah:

Well No. Navajo Tribe C-20, 2040 feet from the north line, and 2080 feet from the west line of Section 25, Township 40 South, Range 24 East, SE1/4;

Well No. Navajo Tribe C-21, 1980 feet from the south line, and 660 feet from the west line of Section 25, Township 40 South, Range 24 East, SE1/4.

Well No. Navajo Tribe C-22, 1980 feet from the south line, and 1980 feet from the east line of Section 25, Township 40 South, Range 24 East, SE1/4;

Well No. Navajo Tribe C-23, 1950 feet from the north line, and 1900 feet from the west line of Section 26, Township 40 South, Range 24 East, SE1/4;

Well No. Navajo Tribe F-6, 2120 feet from the south line, and 1960 feet from the east line of Section 30, Township 40 South, Range 25 East, SE1/4;

Well No. Navajo Tribe F-7, 660 feet from the south line, and 1980 feet from the west line of Section 30, Township 40 South, Range 25 East, SE1/4.

Please be advised that insofar as this office is concerned, approval to drill the above mentioned wells is hereby granted.

This approval terminates within 90 days if the above mentioned wells

The Texas Company

-Page 2 -

January 24, 1958

are not spudded in within said period.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLAREN R. FRIGHT  
SECRETARY

CHP:en

cc: Phil McGrath  
OCCG, Farmington,  
New Mexico

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo

UNITED STATES


Tribal

DEPARTMENT OF THE INTERIOR

Allottee \_\_\_\_\_

GEOLOGICAL SURVEY

Lease No. I-149-IND-8839



## SUNDRY NOTICES AND REPORTS ON WELLS

71-14  
3-28

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Navajo Tribe "F"

March 18, 19 58

Well No. 6 is located 2120 ft. from [S] line and 1960 ft. from [E] line of sec. 30

SE 1/4 of Sec. 30 40-S 25-E SLM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Aneth San Juan Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4757 ft.

### DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 11:30 A.M., January 23, 1958.

Drilled 11" hole to 1512' and cemented 1470' of 8-5/8" O.D. casing at 1482' with 1050 sacks of cement. Cement circulated. Tested casing with 800# pressure for 30 minutes. Tested OK.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company The Texas Company

Address Box 817

Farmington, New Mexico

By [Signature]

Title District Superintendent



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Budget Bureau No. 42-R369.4  
Approval expires 12-31-60.

Indian Agency **Navajo**  
**Tribal**

Allottee \_\_\_\_\_  
Lease No. **I-149-IND-8839**

**SUNDRY NOTICES AND REPORTS ON WELLS**

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	<b>X</b>
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

**Navajo Tribe "F"**

**May 7**, 19**58**

Well No. **6** is located **2120** ft. from **N** line and **1960** ft. from **E** line of sec. **30**

**SE<sup>1</sup> of Sec. 30**  
(1/4 Sec. and Sec. No.)

**40-3**  
(Twp.)

**25-E**  
(Range)

**SLM**  
(Meridian)

**Aneth**  
(Field)

**San Juan**  
(County or Subdivision)

**Utah**  
(State or Territory)

The elevation of the derrick floor above sea level is **4757** ft.

**DETAILS OF WORK**

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

**Drilled 7-7/8" hole to 5765' and cemented 5753' of 5-1/2" O. D. casing at 5765' with 250 sacks of cement. Top of cement 4550'. Tested casing with 1000# pressure for 30 minutes. Tested OK.**

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **The Texas Company**


Address **Box 817**

**Farmington, New Mexico**

By

Title

**Dist. Supt.**



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Budget Bureau No. 42-R389.4  
Approval expires 12-31-60.

Indian Agency Navajo

Tribal

Allottee \_\_\_\_\_

Lease No. I-149-IND-8839

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	<b>X</b>
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Navajo Tribe "F"

June 10, 1958

Well No. 6 is located 2120 ft. from N line and 1960 ft. from E line of sec. 30

SE 1/4 of Sec. 30  
(1/4 Sec. and Sec. No.)

40-S 25-E  
(Twp.) (Range)

S1M  
(Meridian)

Aneth  
(Field)

San Juan  
(County or Subdivision)

Utah  
(State or Territory)

The elevation of the derrick floor above sea level is 4757 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

Total depth 5765'. Plugged back depth 5737'.

Perforated 5-1/2" casing from 5568' to 5572', 5584' to 5598', 5605' to 5609', 5612' to 5622', 5633' to 5640', 5653' to 5665', 5667' to 5671', 5674' to 5678', 5694' to 5708' and 5716' to 5722' with 4 jet shots per foot. Ran 2" tubing to 5552' with packer set at 5358' and acidized perforations using 1000 gallons of fix-a-frac.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Texas Company

Address Box 817


Farmington, New Mexico

By [Signature]

Title Dist. Superintendent



Navajo Tribal  
U. S. LAND OFFICE  
SERIAL NUMBER **I-149-IND-8839**  
LEASE OR PERMIT TO PROSPECT .....



LOCATE WELL CORRECTLY

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

## LOG OF OIL OR GAS WELL

Company The Texas Company Address Box 817, Farmington, N. M.  
Lessor or Tract Navajo Tribe "F" Field Aneth State Utah  
Well No. 6 Sec. 30 T. 40-S R. 25-E Meridian SLM County San Juan  
Location 2120 ft. N. of S Line and 1960 ft. W. of E Line of Section 30 Elevation 4757'  
(Derrick floor relative to sea level)  
The information given herewith is a complete and correct record of the well and all work done thereon  
so far as can be determined from all available records.  
Signed [Signature]  
Date June 10, 1958 Title Dist. Sup't.

The summary on this page is for the condition of the well at above date.  
Commenced drilling January 23, 1958 Finished drilling February 16, 1958

## OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 5568 to 5722 No. 4, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 5, from \_\_\_\_\_ to \_\_\_\_\_  
No. 3, from \_\_\_\_\_ to \_\_\_\_\_ No. 6, from \_\_\_\_\_ to \_\_\_\_\_

## IMPORTANT WATER SANDS

No. 1, from None to \_\_\_\_\_ No. 3, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_

## CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
8-5/8	24	8R	Smls	1470	Baker	None			
5-1/2	14	8R	Smls	5500	Baker	None			
5-1/2	15.5	8R	Smls	253	Baker	None			

## MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
8-5/8	1482	1050	Halliburton		
5-1/2	5765	250	Halliburton		

## PLUGS AND ADAPTERS

Heaving plug—Material None Length \_\_\_\_\_ Depth set \_\_\_\_\_  
Adapters—Material None Size \_\_\_\_\_

## SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
None						

#### TOOLS USED

Rotary tools were used from 0 feet to 5765 feet, and from        feet to        feet  
Cable tools were used from None feet to        feet, and from        feet to        feet

#### DATES

June 10, 1958 Put to producing Tested March 13, 1958  
The production for the first 24 hours was 1260 barrels of fluid of which 97 % was oil; 3 %  
emulsion;        % water; and        % sediment. Gravity, °Bé. 37.40  
If gas well, cu. ft. per 24 hours        Gallons gasoline per 1,000 cu. ft. of gas         
Rock pressure, lbs. per sq. in.       

#### EMPLOYEES

M. W. Barbee, Driller J. B. Beck, Driller  
O. L. Brandon, Driller       , Driller

#### FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0	148	148	Sand
148	1010	862	Sand & Shale
1010	1415	405	Sand, Shale & Red Bed
1415	4589	3174	Sand & Shale
4589	4720	131	Sand, Shale & Lime
4720	4763	43	Lime & Shale
4763	4884	121	Sand & Shale
4884	5349	465	Sand, Shale & Lime
5349	5381	32	Sand & Lime
5381	5630	249	Lime & Shale
5630	5761	131	Lime, Sand & Shale
5761	5765	4	Shale & Anhydrite
Total Depth 5765'			
Plugged Back Depth 5737'			

[OVER]

16-43094-4

### HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

After drilling to 5765' and cementing 5-1/2" casing, top of cement plug was found to be at 5737' (P.B.T.B.). Perforated 5-1/2" casing from 5568' to 5572', 5584' to 5598', 5605' to 5609', 5612' to 5622', 5633' to 5640', 5653' to 5665', 5687' to 5671', 5674' to 5678', 5694' to 5708' and 5716' to 5722' with 4 jet shots per foot. Ran 2" tubing to 5552' with packer set at 5358' and acidized perforations with 8000 gallons regular 15% acid in 3 stages using 1000 gallons of fix-a-frac. After swabbing, well flowed 210 barrels of oil in 4 hours.

**FORMATION RECORD—Continued**

FROM—	TO—	TOTAL FEET	FORMATION
			<b><u>FORMATION TOPS</u></b>
			Navajo - - - - - 795'
			Kayenta - - - - - 1106'
			Wingate - - - - - 1148'
			Chinle - - - - - 1440'
			Shinarump - - - - - 2446'
			Hoskinnini - - - - - 2510'
			DeChelly - - - - - 2669'
			Organ Rock - - - - - 2757'
			Hernesa - - - - - 4581'
			Paradox - - - - - 5745'
			<b>Formation Tops as per EL.</b>
			<b><u>SOLE SIZE</u></b>
			0 to 1512' - 11"
			1512' to 5765' - 7-7/8"
			<b><u>DEVIATION TESTS</u></b>
			565' - 1°                  3425' - 1°
			1350' - 1-1/4°        4065' - 3/4°
			1850' - 1°              4550' - 1/4°
			2350' - 1°              5065' - 1/2°
			2760' - 1-1/4°        5670' - 3/4°
			<b><u>ENCLOSURES</u></b>
			All measurements from derrick floor, 10' above ground.
			<b><u>DATES</u></b>
			<b><u>TOOLS USED</u></b>
			<b><u>TESTS AND RECORDS</u></b>
			<b><u>REMARKS AND COMMENTS</u></b>


(SUBMIT IN TRIPLICATE)

Indian Agency Navajo

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee \_\_\_\_\_

Lease No. I-149-IND-8839



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	<b>X</b>
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	<b>X</b>
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 20, 1962

**Aneth Unit**

Well No. 1330 is located 2120 ft. from N line and 1960 ft. from E line of sec. 30

SE 1/4 of Sec. 30

(1/4 Sec. and Sec. No.)

40-S

(Twp.)

25-E

(Range)

SLM

(Meridian)

Aneth

(Field)

San Juan

(County or Subdivision)

Utah

(State or Territory)

The elevation of the derrick floor above sea level is 4757 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Moved in pulling unit, pulled tubing and commenced workover 1-15-62. Acidized all perforations (5568' to 5572', 5584' to 5598', 5605' to 5609', 5612' to 5622', 5633' to 5640', 5653' to 5663', 5667' to 5671', 5674' to 5678', 5694' to 5708' and 5716' to 5722') through casing with 25,000 gallons of retarded acid. After swabbing lead oil, well kicked off and commenced flowing. On 24 hour test ending 4:00 P.M., 1-22-62, well flowed 182 barrels of 41° gravity oil and 9 barrels of water through 28/64" choke.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company TEXACO Inc.

Address P. O. Box 810

Farmington, N. M.

By

Title District Superintendent

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE\*  
(Other instructions on re-  
verse side)Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

**I-149-IND-8839**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

**Aneth Unit**

8. FARM OR LEASE NAME

9. WELL NO.

**L330**

10. FIELD AND POOL, OR WILDCAT

**Aneth**11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA**30, 40-S, 25-E, SLN**

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

**4757' DF**

12. COUNTY OR PARISH

**San Juan**

13. STATE

**Utah**

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐  
☐  
☐  
☐

PULL OR ALTER CASING

☐  
☐  
☐  
☐

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON\*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐  
☐  
☒

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

**Reason for workover was to stimulate oil production.****Commenced workover on 1-27-65. Pumped 1500 gallons NE regular 15% acid down casing annulus with an injection rate of 6 barrels per minute. On 24 hour test ending 7:00 AM 2-3-65, well pumped 28 barrels of 41° gravity oil and 46 barrels of water. Length of pump stroke 74" with 12 strokes per minute.**

18. I hereby certify that the foregoing is true and correct

SIGNED *C. R. Harmer*TITLE **District Supt.**DATE **3-10-65**

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_

TITLE \_\_\_\_\_

DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN THE MANNER  
(Other instructions on re-  
verse side)Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

I-149-IND-8839

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

9. WELL NO.

1330

10. FIELD AND POOL, OR WILDCAT

Aneth

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

30, T40S, R25E, S1M

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4757' DF

12. COUNTY OR PARISH

13. STATE

San Juan

Utah

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON\*

REPAIR WELL

CHANGE PLANS

(Other) Convert to water injection X

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT\*

(Other)

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Reason for remedial work on this well is to convert it from oil producing status to water injection status. Procedure will be as follows

Pull rods and tubing. Run 2-3/8" plastic lined tubing with Baker Model "N" packer and set packer at 5520'. Connect wellhead and put on water injection until rate stabilizes. Acidize all perforations (5568' to 5572', 5584' to 5598', 5605' to 5609', 5612' to 5622', 5633' to 5640', 5653' to 5665', 5667' to 5671', 5674' to 5678', 5694' to 5708' and 5716' to 5722') in three stages, with 9,000 gallons of 28% HCL acid, 18,000 gallons of fresh water and 1,500 gallons of temporary plugging agent (gelled water and rock salt). Return well to injection.

APPROVED BY UTAH OIL AND GAS  
CONSERVATION COMMISSION

DATE 6-27-67

by *Paul W. Burchett*  
CHIEF PETROLEUM ENGINEER

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE District Superintendent DATE 6/22/67

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN **DATE\***  
(Other instructions on re-  
verse side)Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

**I-149-IND-8839**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

**Navajo**

7. UNIT AGREEMENT NAME

**Aneth Unit**

8. FARM OR LEASE NAME

9. WELL NO.

**1330**

10. FIELD AND POOL, OR WILDCAT

**Aneth**11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA**30, T40S, R25E, S1M**

12. COUNTY OR PARISH

**San Juan**

13. STATE

**Utah****SUNDRY NOTICES AND REPORTS ON WELLS**  
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)1. OIL ☐ WELL GAS ☐ WELL OTHER **Water Injection**

2. NAME OF OPERATOR

**TEXACO Ins.**

3. ADDRESS OF OPERATOR

**Box 810, Farmington, New Mexico 87401**4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface**2120' From South Line and 1960' From East Line**

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

**4757' DF**

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON\* ☐CHANGE PLANS ☐

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT\* ☐**Convert to water injection X**  
(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any  
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-  
nent to this work.)\***TD 5765' FB 5737'****Reason for workover was to convert from oil producing status to water  
injection. Procedure was as follows:****Moved in pulling unit and commenced workover 9/15/67. Pulled rods and  
tubing. Ran 2-3/8" plastic coated tubing with injection packer and  
set packer at 5526'. Loaded casing annulus with inhibited water.  
Waiting on injection rate to stabilize before acidizing. Final report  
will be filed after well is acidized.**

18. I hereby certify that the foregoing is true and correct

SIGNED

*V. P. Farmer*

TITLE

**District Superintendent**

DATE

**3/7/68**

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

\*See Instructions on Reverse Side



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE\*  
(Other instructions on re-  
verse side)

6.33-2 (W)

Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

I-149-IND-8839

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

9. WELL NO.

L-330

10. FIELD AND POOL, OR WILDCAT

Aneth

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

30, T40S, R25E, SLM

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

SUNDRY NOTICES AND REPORTS ON WELLS  
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)1. OIL WELL ☐ GAS WELL ☐ OTHER ☒ Water Injection

2. NAME OF OPERATOR

TEXACO Inc.-Producing Dept. U. S. (West)

3. ADDRESS OF OPERATOR

Box 810, Farmington, N. M. 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface

2120' f/So. &amp; 1960' f/E. Lines

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4757 DF

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON\* ☐CHANGE PLANS ☐

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☒(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT\* ☐(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any  
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-  
nent to this work.)\*

Purpose of workover was to increase injectivity into the Desert Creek.

10-23 Acid down 2" tbg set at 5526 across perfs 5558-5722 in 2 stages w/9000  
gal 28% NE-HCl CRA acid, 18,000 gal. NE treated flush & 750 gal TPA,  
gelled water & rock salt. First stage treat press 3300 max, 2800 min, @  
5 BPM, TPA max press 3450. Second stage max 3450, min 1800 @ 6 BPM  
1sip 500 psi, 15 min sip 150. Inj rate stabilized @ 3400 BWPD @ 1350 psi.

18. I hereby certify that the foregoing is true and correct

SIGNED

*G. L. Eaton*

TITLE

Dist. Superintendent

DATE

2/8/71

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side

USGS(3)OGCC(2)Navajo Tribe-Superior Oil Co-HHB-GLE-WLW

SLC

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE\*  
(Other instructions on re-  
verse side)

Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

**I-149-IND-8839**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

**Navajo**

7. UNIT AGREEMENT NAME

**Aneth Unit**

8. FARM OR LEASE NAME

9. WELL NO.

**L330**

10. FIELD AND POOL, OR WILDCAT

**Aneth**

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

**30-40S-25E-S1M**

12. COUNTY OR PARISH

**San Juan**

13. STATE

**Utah**

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/>	<b>Water Injection</b>
2. NAME OF OPERATOR	<b>Texaco Inc. - Producing Dept. - Rocky Mtns. U.S.</b>
3. ADDRESS OF OPERATOR	<b>P. O. Box 2100, Denver, Colorado 80201 (GLE)</b>
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface	<b>2120' FSL and 1960' FEL</b>
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) <b>4757 DF</b>

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input checked="" type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

**5-2-72 - Backflowed 75 BW via tbng. Acidized w/ 750 Gal. 15% inhibited  
HCL and displaced w/ injection water. Pressures 2300 - 2600 PSI  
@ 3-1/2 BPM. After one hour SI backflowed 75 BW and pumped 10 Gal.  
brocide down tubing. Injection rate before 1300 BWPD @ 2400  
After 2000 BWPD @ 2000 PSI  
Work Completed 5-8-72.**

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

**District Superintendent**

DATE

**7-19-72**

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

USGS(3) OGCC(2)  
Farm. SLC

\*See Instructions on Reverse Side

**Navajo Tribe - Superior Oil Co. - HNB - GLE - WLW  
Cortez**

FORM NO. DOGM-UIC-1

STATE OF UTAH  
DIVISION OF OIL, GAS, AND MINING  
ROOM 4241 STATE OFFICE BUILDING  
SALT LAKE CITY, UTAH 84114  
(801) 533-5771  
(RULE 1-5)

## IN THE MATTER OF THE APPLICATION OF

Texaco Inc.

ADDRESS P. O. Box EE  
Cortez, Colorado ZIP 81321  
INDIVIDUAL PARTNERSHIP CORPORATION XX  
FOR ADMINISTRATIVE APPROVAL TO DISPOSE OR  
INJECT FLUID INTO THE Aneth Unit L330 WELL  
SEC. 30 TWP. 40S RANGE 25E  
San Juan COUNTY, UTAH

CAUSE NO. \_\_\_\_\_

ENHANCED RECOVERY INJ. WELL ☒  
DISPOSAL WELL ☐

## APPLICATION

Comes now the applicant and shows the Division the following:

1. That Rule 1-5 (b) 6 authorizes administrative approval of enhanced recovery injections or disposal operations.
2. That the applicant submits the following information.

Lease Name <u>Aneth Unit</u>	Well No. <u>L330</u>	Field <u>Aneth</u>	County <u>San Juan</u>
Location of Enhanced Recovery Injection or Disposal Well <u>NW 4 SE 4</u> Sec. <u>30</u> Twp. <u>40S</u> Rge. <u>25E</u>			
New Well To Be Drilled Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Old Well To Be Converted Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Casing Test Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date <u>9-24-67</u>	
Depth-Base Lowest Known Fresh Water Within 1/2 Mile <u>1106'</u>	Does Injection Zone Contain Oil-Gas-Fresh Water Within 1/2 Mile YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	State Water <u>Oil &amp; Gas</u>	
Location of <u>Aneth Unit</u> Producing Injection Source(s) Wells & <u>San Juan River</u>		Geologic Name(s) <u>Desert Creek &amp; Ismay</u> and Depth of Source(s) <u>+/- 5600'</u>	
Geologic Name of Injection Zone <u>Paradox: Desert Creek</u>		Depth of Injection Interval <u>5568</u> to <u>5722</u>	
a. Top of the Perforated Interval: <u>5568'</u>	b. Base of Fresh Water: <u>1106'</u>	c. Intervening Thickness (a minus b) <u>4462'</u>	
Is the intervening thickness sufficient to show fresh water will be protected without additional data? <u>(YES)</u> NO			
Lithology of Intervening Zones <u>Sandstone, limestone &amp; anhydrite w/intermittent shale layers</u>			
Injection Rates and Pressures Maximum <u>2,000</u> B/D <u>2,500</u> PSI			
The Names and Addresses of Those To Whom Copies of This Application and Attachments Have Been Sent <u>The Navajo Tribe</u> <u>Box 146</u> <u>Window Rock, Arizona 86515</u>			

State of ColoradoCounty of Montezuma

I, the undersigned authority, on this day personally appeared Alvin R. Morf  
(known to me to be the person whose name is subscribed to the above instrument, who being by me duly sworn on oath states, that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct.

Described and sworn to before me this 16<sup>th</sup> day of DEC, 19 83

SEAL

My commission expires 10/25/87Notary Public in and for Colorado728 N. Beech, Cortez, Co. 813


(OVER)

1. Attach qualitative and quantitative analysis of fresh water from 2 or more producing wells within 1 mile of injection well showing location of wells and date samples were taken, or statement as to why samples were not submitted.
2. Attach qualitative and quantitative analysis of representative sample of water to be injected.
3. Attach plat showing subject well and all known oil and gas wells, abandoned, drilling and dry holes within ½ mile, together and with name of operator.
4. Attach Drillers Log (Form DOGM-UIC-2). (Appropriate Surety must be on file with Conservation Division.)
5. Attach Electric or Radioactivity Log of Subject well (if released).
6. Attach schematic drawing of subsurface facilities including; Size, setting depth, amount of cement used measured or calculated tops of cement surface, intermediate (if any) and production casings; size and setting depth of tubing; type and setting depth of packer; geologic name of injection zone showing top and bottom of injection interval.
7. The original and 6 copies of application, and one complete set of attachments shall be mailed to the Division.
8. Deliver 1 copy of application to landowner on whose land injection well is located and to each operator of a producing leasehold within ½ mile of injection well.
9. Affidavit of mailing or delivery shall be filed not later than five days after the application is filed.
10. Notice that an application has been filed shall be published by the Division in a newspaper of general circulation in the county in which the well is located. The Division shall file proof of publication before the application is approved. The notice shall include name and address of applicant, location of proposed injection or disposal well, injection zone, injection pressure and volume. If no written objection is received within 15 days from date of publication the application will be approved administratively.
11. A well shall not be used for injection or disposal unless completed machine accounting Form DOGM-UIC-3b is filed September 1st, each year.
12. Approval of this application, if granted, is valid only as long as there is no substantial change in the operations set forth in the application. A substantial operation change requires the approval of a new application.
13. If there is less intervening thickness required by Rule 1-5 (b) 4 attach sworn evidence and data.

## CASING AND TUBING DATA

NAME OF STRING	SIZE	SETTING DEPTH	SACKS CEMENT	TOP OF CEMENT	TOP DETERMINED BY
Surface	8 $\frac{5}{8}$ "	1482'	1050	Surface	Cement Circulated
Intermediate					
Production	5 $\frac{1}{2}$ "	5765'	250	4550'	Calculated
Tubing	2 $\frac{3}{8}$ "	5471'	Name - Type - Depth of Tubing Packer Packer - 53" Lokset - 5471'		
Total Depth 5765'	Geologic Name - Inj. Zone Desert Creek		Depth - Top of Inj. Interval 5568'		Depth - Base of Inj. Interval 5722'

SKETCH - SUBSURFACE FACILITY



PLEASE TYPE OR USE BLACK INK ONLY

(To be filed within 30 days after drilling is completed) I-149-INO-8839


DEPARTMENT OF NATURAL RESOURCES AND ENERGY

DIVISION OF OIL, GAS, AND MINING  
Room 4241 State Office Building  
Salt Lake City, Utah 84114

COUNTY  
LEASE NO.

API NO

640 Acres  
10



Locate Well Community  
and Quarter Section

COUNTY San Juan SEC. 30 TWP. 40S RGE. 25E  
COMPANY OPERATING Texaco Inc.  
OFFICE ADDRESS P O Box EE  
TOWN Cortez STATE CO ZIP 81321  
FARM NAME Aneth Unit WELL NO. 2330  
DRILLING STARTED 1-23 19 58 DRILLING FINISHED 2-16 19 58  
DATE OF FIRST PRODUCTION 3-13-58 COMPLETED 3-13-58  
WELL LOCATED NE & NW & SE  
2120 FT. FROM SE OF X SEC. & 3320 FT. FROM WL OF X SEC.  
ELEVATION DERRICK FLOOR 4757' GROUND 4747'

TYPE COMPLETION

Single Zone Desert Creek Order No. \_\_\_\_\_

Multiple Zone \_\_\_\_\_ Order No. \_\_\_\_\_

Completed \_\_\_\_\_ Order No. \_\_\_\_\_

LOCATION EXCEPTION

OIL OR GAS ZONES

Name	From	To	Name	From	To
<u>Desert Creek</u>	<u>5558</u>	<u>5743</u>			

CASING & CEMENT

Casing Set				Cog. Test	Cement		
Size	Wgt	Grade	Feet	Psi	Set	Fillet	Top
<u>8 5/8"</u>	<u>24 #1</u>	<u>NA</u>	<u>1482</u>	<u>800</u>	<u>1050</u>	<u>-</u>	<u>Surface</u>
<u>5 1/2"</u>	<u>14 #55 #1</u>	<u>NA</u>	<u>5765</u>	<u>1000</u>	<u>250</u>	<u>-</u>	<u>4550'</u>

TOTAL DEPTH 5765'

PACKERS SET  
DEPTH 5471' KB

COMPLETION & TEST DATA BY PRODUCING FORMATION

FORMATION	Desert Creek	Desert Creek	
SPACING & SPACING ORDER NO.	40 acre	40 acre	
CLASSIFICATION (Oil; Gas; Dry; Inf. Well)	<u>Oil</u>	<u>(9-15-67) Conver</u>	
PERFORATED	<u>5568-72, 5584-98</u>	<u>to WI</u>	
INTERVALS	<u>5605-09, 5612-22</u>		
	<u>5633-40, 5653-65</u>		
	<u>5667-71, 5674-78</u>		
ACIDIZED?	<u>5674-5708, 5716-22</u> <u>Acidized w/ 8000</u> <u>gal reg. 15% acid</u>	<u>NO (9-15-67)</u> <u>Acidized (10-23-70)</u> <u>w/ 9000 gal 20% NE-</u> <u>HCl</u>	
FRACTURE TREATED?	<u>NO</u>	<u>NO</u>	

INITIAL TEST DATA

Date	<u>3-13-58</u>	<u>-</u>	
Oil bbl./day	<u>1260</u>	<u>-</u>	
Oil Gravity	<u>37.4</u>	<u>-</u>	
Gas Co. Ft./day	<u>NA</u>	<u>-</u>	<u>NA</u>
Gas-Oil Ratio Co. Ft./Bbl.	<u>NA</u>	<u>-</u>	
Water-Bbl./day	<u>0</u>	<u>After (10-23-70) Acid</u> <u>3470 Bwt PD</u>	
Pumping or Flowing	<u>Flowing</u>	<u>Injecting</u>	
CHOKE SIZE	<u>NA</u>	<u>NA</u>	
FLOW TUBING PRESSURE	<u>NA</u>	<u>NA</u>	

A record of the formations drilled through, and pertinent remarks are presented on the reverse.  
(see reverse side)

I, the undersigned, being first duly sworn upon oath, state that this well record is true, correct and complete according to the records of this office and to the best of my knowledge and belief.

Telephone 1-303-565-8401 Chas R. Mann Field Supt.  
State of Colorado Name and title of representative of company  
County of Montezuma  
Subscribed and sworn before me this 16 day of Dec. 19 83  
My Commission expires for J. Roy Holt  
10/25/87 728 N. Beech, Cortez, CO  
81321

T-405-R24E  
San Juan, County Utah

T-405-R25E  
San Juan County, Utah

WEST - D - EAST

B

G

A

C

TEXACO

☐ INSTRUCTIONS - CANCELS LETTER(S) OF

SIGNED BY

☐ PERMANENT☐ ROUTINE☐ TEMPORARY

19

(LOCATION)

(DATE)

Subject: Water Analysis from  
Navajo Aquifer

Aneth Unit H415

Location - SE 1/4 - SE 1/4 Sec 15, T40S, R24E

Sample Date - 1-17-59

Depth - Navajo Aquifer

Temp - 67°F

Ph - 8.7

Total Dissolved Solids - 2573 ppm

SiO<sub>2</sub> - 16 ppmCO<sub>3</sub><sup>=</sup> - 130 ppmCa<sup>+</sup> - 7 ppmHCO<sub>3</sub><sup>-</sup> - 156 ppmMg<sup>++</sup> - 28 ppmSO<sub>4</sub><sup>=</sup> - 599 ppmNa<sup>+</sup> - 76 ppmCl<sup>-</sup> - 757 ppm

Aneth Unit G422

Location - SW 1/4 - SE 1/4 Sec 22, T40S, R24E

Sample Date - 1-18-59

Depth - Navajo Aquifer

Temp - 67°F

Ph - 9.2

Total Dissolved Solids - 2823 ppm

SiO<sub>2</sub> - 17 ppmCO<sub>3</sub><sup>=</sup> - 925 ppmCa<sup>+</sup> - 6 ppmHCO<sub>3</sub><sup>-</sup> - 912 ppmMg<sup>++</sup> - 8 ppmSO<sub>4</sub><sup>=</sup> - 265 ppmNa<sup>+</sup> - 915 ppmCl<sup>-</sup> - 271 ppm\* Note: these numbers were obtained from Texaco Files  
in the Denver Division offices.

If letter requires reply prepare in triplicate, forwarding original and duplicate, and retain copy.

P.O. Box 2100

Denver, Colo

80201 By

# NL Treating Chemicals/NL Industries, Inc.


P.O. Box 1675, Houston, Texas 77001

## WATER ANALYSIS REPORT

COMPANY <b>TEXACO, INCORPORATED</b>				SHEET NUMBER <b>1</b>	
DATE <b>5 APRIL</b>					
FIELD <b>ANETH</b>		COUNTY OR PARISH <b>SAN JUAN</b>		STATE <b>UTAH</b>	
WELL OR UNIT <b>ANETH</b>		WELL DEPTH AND OR NO. <b>INJECTION WATER</b>		WATER SOURCE INFORMATION	
WATER USE <b>PLANT</b>	TEMP. F	WATER USE, GAY	OIL, GAY	GAS, MCF/DAY	
DATE SAMPLED <b>APRIL 1982</b>	TYPE OF WATER <input checked="" type="checkbox"/> PRODUCED <input checked="" type="checkbox"/> SURFACE <input checked="" type="checkbox"/> WATERFLOOD <input type="checkbox"/> SALT WATER				

### WATER ANALYSIS PATTERN

NUMBER RESIDE ON SYMBOL INDICATES ME/L SCALE UNIT



### DISSOLVED SOLIDS

CATIONS	me/l*	mg/l*
Total Hardness	392.0	
Calcium, Ca <sup>++</sup>	268.0	5360.0
Magnesium, Mg <sup>++</sup>	124.0	1519.0
Iron (Total) Fe <sup>+++</sup>	0.5	10.0
Barium, Ba <sup>++</sup>	—	0.0
Sodium, Na (calc.)	1035.1	23807.3
ANIONS		
Chloride, Cl <sup>-</sup>	1360.3	45150.0
Sulfate, SO <sub>4</sub> <sup>-</sup>	24.5	1175.0
Carbonate, CO <sub>3</sub> <sup>-</sup>	0.0	0.0
Bicarbonate, HCO <sub>3</sub> <sup>-</sup>	4.0	244.0
Hydroxyl, OH <sup>-</sup>	0.0	0.0
Sulfide, S <sup>-</sup>	18.8	300.0

### DISSOLVED GASES

Hydrogen Sulfide, H <sub>2</sub> S	337.5 mg/l
Carbon Dioxide, CO <sub>2</sub>	185.0 mg/l
Oxygen, O <sub>2</sub>	1.0 mg/l

### PHYSICAL PROPERTIES

pH	6.65
EH (Redox Potential)	N.D. MV
Specific Gravity	N.D.
Viscosity, STU Units	N.D.
Total Dissolved Solids (calc.)	21325.3 mg/l
Stability Index @ 77°F	+0.39
@ 140°F	+1.32
CaSO <sub>4</sub> Solubility @ 77°F	306.6 me/l
@ 176°F	306.8 me/l
Max. CaSO <sub>4</sub> Possible (calc.)	24.5 me/l
Max. BaSO <sub>4</sub> Possible (calc.)	1.0 mg/l
Residual Hydrocarbons	N.D. ppm

### SUSPENDED SOLIDS (QUALITATIVE)

Iron Sulfide ☐ Iron Oxide ☐ Calcium Carbonate ☐ Acid Insoluble ☐

### REMARKS AND RECOMMENDATIONS:

WATER SHOWS A TENDENCY TOWARD SCALING; PRIMARILY CALCIUM CARBONATE

\* NOTE: me/l and mg/l are commonly used interchangeably for epm or respectively. Where epm and p; used, corrections should be made specific gravity.

ENGINEER <b>MARK BROTHERS</b>	DIST. NO. <b>12</b>	ADDRESS <b>FARMINGTON, N.M.</b>	OFFICE PHONE <b>505-325-5701</b>	HOME PHONE <b>505-325</b>
----------------------------------	------------------------	------------------------------------	-------------------------------------	------------------------------



# CHECKLIST FOR INJECTION WELL APPLICATION AND FILE REVIEW

Operator: Jexco Well No. aneth Unit L330  
 County: San Juan T 40S R 25E Sec. 30 API# 43-037-14139  
 New Well ☐ Conversion ☐ Disposal Well ☐ Enhanced Recovery Well ☐

	YES	NO
UIC Forms Completed	<u>✓</u>	
Plat including Surface Owners, Leaseholders, and wells of available records	<u>✓</u>	
Schematic Diagram	<u>✓</u>	
Fracture Information	<u>✓</u>	
Pressure and Rate Control	<u>✓</u>	
Adequate Geologic Information	<u>✓</u>	
Fluid Source	<u>Desert Creek - Gray</u>	

Analysis of Injection Fluid	Yes <u>✓</u>	No <u>      </u>	TDS <u>81385</u>
Analysis of Water in Formation to be injected into	Yes <u>✓</u>	No <u>      </u>	TDS <u>81385</u>

Known USDW in area	<u>Maraja</u>	Depth <u>1106</u>
Number of wells in area of review	<u>11</u>	Prod. <u>9</u> P&A <u>0</u>
		Water <u>0</u> Inj. <u>2</u>

Aquifer Exemption	Yes <u>      </u>	NA <u>✓</u>
Mechanical Integrity Test	Yes <u>      </u>	No <u>✓</u>
Date	<u>      </u>	Type <u>      </u>

Comments: TOC 4550'

---



---

Reviewed by: 902

Utah Division of Oil, Gas, and Mining  
Casing - Bradenhead Test

Operator: TEXACO INC. Field/Unit: GREATER ANETH  
Well: L-330 Township: 40S Range: 25E Sect: 30  
API: 43-037-16139 Welltype: INJW Max Pressure: 2500  
Lease type: INDIAN Surface Owner: NAVAJO  
Last MIT Date: 05/02/72 Witness: F Test Date: 9-20-87

CASING STRING	SIZE	SET AT	PRESSURE	OBSERVATIONS
---------------	------	--------	----------	--------------

Surface:	8 5/8	1482	○	
----------	-------	------	---	--

Intermediate:		0		
---------------	--	---	--	--

Production:	5 1/2	5765	○	
-------------	-------	------	---	--

Other:		0		
--------	--	---	--	--

Tubing:	2 3/8			1990 Rate @ 400/day
---------	-------	--	--	---------------------

Packer:		5471		
---------	--	------	--	--

Recommendations:

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

**SUBMIT IN TRIPLICATE**

1. Type of Well <input type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <b>Injection well</b>	5. Lease Designation and Serial No. <b>I-149-IND-8839</b>
2. Name of Operator <b>Texaco Exploration and Producing, Inc.</b>	6. If Indian, Allottee or Tribe Name <b>Navajo</b>
3. Address and Telephone No. <b>3300 N. Butler, Farmington N.M. 87401 (505)325-4397</b>	7. If Unit or CA, Agreement Designation <b>Aneth Unit</b>
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) <b>2120 FSL &amp; 1960 FEL Section 30-T40S-R25E</b>	8. Well Name and No. <b>L330</b>
	9. API Well No. <b>43037161390002</b>
	10. Field and Pool, or Exploratory Area <b>Desert Creek and Ismay</b>
	11. County or Parish, State <b>San Juan, Utah</b>

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <b>Acid stimulation</b>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Texaco Exp. and Prod. Inc. proposes to acid stimulate the subject well to increase the injection rate. The procedure will be as follows:

1. MIRU pump truck. Pump 5175 gal. of 15% HCL with additives in 3 stages.
2. Shut in well and wait to recover load volume for 1 hour.
3. Backflow well to recover load volume into pit.
4. Return well to injection and monitor.

**Accepted by the State  
of Utah Division of  
Oil, Gas and Mining**

Date: 4-10-91

By: [Signature]

**RECEIVED**

APR 09 1991

DIVISION OF  
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed Alan A. Kleier

Title Area Manager

Date 04/08/91

(This space for Federal or State office use)

Approved by \_\_\_\_\_

Title \_\_\_\_\_

Date \_\_\_\_\_

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See instruction on Reverse Side

DATE: 05/02/91

## WELLS BY OPERATOR

PAGE: 99

ACCT NUM	COMPANY NAME	FLD NUM	FIELD NAME	TOWN SHIP	RANGE	SEC	QTR QTR	API NUMBER	PROD ZONE	WELL STATUS	ENTITY	WELL NAME
NO980	TEXACO INC	365	GREATER ANETH	S400	E240	29	SENW	4303716292	PRDX	WIW	99990	NAVAJO TRIBE S-4 (ANETH F
				S400	E240	29	SENE	4303716318	PRDX	WIW	99990	NAVAJO TRIBE S-3 (ANETH H
				S400	E240	29	NWNE	4303716097	PRDX	WIW	99990	NAVAJO TRIBE S-1 (ANETH G
				S400	E240	29	NWNW	4303716055	PRDX	WIW	99990	NAVAJO TRIBE S-2 (ANETH E
				S400	E240	34	SENE	4303716319	PRDX	WIW	99990	ANETH 34-D2 (ANETH H-234)
				S400	E240	34	SESW	4303716303	PRDX	WIW	99990	ANETH 34-B-4 (ANETH F-434
				S400	E240	35	SENE	4303716320	PRDX	WIW	99990	NAVAJO TRIBE Q-4 (ANETH H
				S400	E240	35	SENW	4303716293	PRDX	WIW	99990	NAVAJO TRIBE Q-5 (ANETH H
				S400	E240	35	SESW	4303716304	PRDX	WIW	99990	NAVAJO TRIBE Q-8 (ANETH F
				S400	E240	36	SENE	4303715487	PRDX	WIW	99990	NAVAJO 1 (ANETH H-236)
				S400	E240	36	SENW	4303716294	PRDX	WIW	99990	NAVAJO 3 (ANETH F-236)
				S400	E240	36	NWNW	4303715485	PRDX	WIW	99990	NAVAJO 4 (ANETH E-136)
		380	ISMAY	S400	E250	13	SWSE	4303716455	PRDX	PA	99998	NAVAJO TRIBE K-13 (Q-413)
		365	GREATER ANETH	S400	E250	19	SWSE	4303716140	PRDX	WIW	99990	ANETH UNIT L-419
		380	ISMAY	S400	E250	24	NENE	4303716169	ISMY	WIW	99990	R-124 (NAVAJO TRIBE K-#11)
		365	GREATER ANETH	S400	E250	29	NWNW	4303716131	DSCR	WIW	99990	NAVAJO TRIBE F-8 (ANETH J
				S400	E250	30	NWSW	4303716134	PRDX	WIW	99990	NAVAJO TRIBE F-5 (ANETH J
				S400	E250	30	NWSE	4303716139	PRDX	WIW	99990	NAVAJO TRIBE F-6 (ANETH L
				S400	E250	30	SESW	4303716137	PRDX	WIW	99990	NAVAJO TRIBE F-7 (ANETH K
				S400	E250	30	NWNW	4303716132	PRDX	WIW	99990	NAVAJO TRIBE F-9 (ANETH J
				S400	E250	30	SENE	4303716141	PRDX	WIW	99990	NAVAJO TRIBE F-10 (ANETH
				S400	E250	30	SENW	4303716135	PRDX	WIW	99990	NAVAJO TRIBE F-2 (ANETH K
				S400	E250	30	SESE	4303716337	PRDX	WIW	99990	NAVAJO TRIBE F-11 (ANETH
				S400	E250	31	SENW	4303716335	PRDX	WIW	99990	NAVAJO TRIBE C-22-31 (ANE
		375	HOGAN	S410	E220	22	NENE	4303711254	ISMY	PA	99998	NAVAJO TRIBE "AH" #1
		365	GREATER ANETH	S400	E260	19	NENE	4303716519	ISMY	PA	99998	NAVAJO K-1(V219)
				S400	E240	18	NWNE	4303731522	DSCR	DRL	99999	ANETH F407SE
				S400	E240	29	NENE	4303731529	DSCR	POW	7000	ANETH H129
				S400	E240	35	NWNE	4303731530	DSCR	DRL	99999	ANETH G135X
				S400	E240	35	NENE	4303731531	DSCR	POW	7000	ANETH H135
				S400	E240	25	NWSE	4303731532	DSCR	DRL	99999	ANETH G325Y
				S400	E240	23	NWSE	4303731533	DSCR	DRL	99999	ANETH G323X
				S400	E240	18	NENW	4303731534	DSCR	POW	7000	ANETH E407SE
				S400	E240	18	SWNE	4303731535	DSCR	DRL	99999	ANETH F118SE
				S400	E240	18	NESW	4303731536	DSCR	DRL	99999	ANETH F218SE
				S400	E230	12	SESW	4303731537	DSCR	POW	7000	ANETH B412
				S400	E230	12	SENE	4303716278	DSCR	WIW	99990	BURTON 42-12 (ANETH D212)
		1	WILDCAT	N010	E080	12	SENW	4304330175	PA	PA	99998	THOUSAND PEAKS RANCH NCT
		365	GREATER ANETH	S400	E240	23	SESE	4303731557	DSCR	DRL	99999	ANETH UNIT G323SE
				S400	E240	23	NENE	4303731556	DSCR	DRL	99999	ANETH UNIT H123NW
				S400	E240	14	SESW	4303731559	DSCR	DRL	99999	ANETH UNIT F314SE
				S400	E240	23	SWSW	4303731558	DSCR	DRL	99999	ANETH UNIT E423SE
				S400	E240	26	SENW	4303731560	DSCR	DRL	99999	ANETH UNIT F226SE
				S400	E240	23	NWNW	4303731561	DSCR	DRL	99999	ANETH UNIT E123SE
		1	WILDCAT	S380	W020	5	SESW	4302530009	PA	PA	99998	GOVT SCHNEIDER "A" NCT-1
		365	GREATER ANETH	S400	E240	7	NWSW	4303715412	PRDX	WIW	99990	W ISMY FED #3 (ANETH E30
				S400	E230	12	SESE	4303730049	PRDX	WIW	99996	ANETH UNIT D-412

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.  
**I-149-IND-8839**  
6. If Indian, Allottee or Tribe Name

**Navajo**

7. If Unit or CA, Agreement Designation

**Aneth Unit**

8. Well Name and No.

**L330**

9. API Well No.

**43037161390002**

10. Field and Pool, or Exploratory Area

**Desert Creek and Ismay**

11. County or Parish, State

**San Juan, Utah**

**SUBMIT IN TRIPLICATE**

1. Type of Well

☐ Oil

☐ Gas

Well

☒ Other

**Injection well**

2. Name of Operator

**Texaco Exploration and Producing, Inc.**

3. Address and Telephone No.

**3300 N. Butler, Farmington N.M. 87401 (505)325-4397**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

**2120 FSL & 1960 FEL Section 30-T40S-R25E**

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent

☒ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☒ Other

**Acid stimulation**

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut-Off

☐ Conversion to Injection

☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

**4/18/91 - MIRU Smith. Pumped 5175 gal. 15% HCL w/ additives in 3 stages. Pumped 750 gal. of H2O w/ 2 ppg rock salt as a temporary diverting agent between acid stages. Flushed tubing with 1250 gal. of H2O.**

**Max. Pressure: 1250 psi.**

**Ann. Pressure: 1100 psi.**

**Flow Rate: 3.0 BPM**

**ISIP: 400 psi.**

**Before: 426 BWIPD @ 2200 psi.**

**After: 3879 BWIPD @ 1850 psi.**

RECEIVED

MAY 06 1991

DIVISION OF  
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed *William A. Hines*

Title **Area Manager**

Date 5/1/91

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instruction on Reverse Side



Texaco Exploration and Production Inc  
Midland Producing Division

P O Box 3109  
Midland TX 79702-3109

May 22, 1991

RECEIVED

MAY 28 1991

DIVISION OF  
OIL GAS & MINING

Division of Oil, Gas, and Mining  
Attn: Ms. Lisha Romero  
355 West North Temple  
3 Triad Center, Suite 350  
Salt Lake City, Utah 84180-1203

Gentlemen:

This is to advise that as a part of a reorganization of Texaco Inc., a Delaware corporation, the name of Texaco Producing Inc., a Delaware corporation and wholly owned subsidiary of Texaco Inc., has been changed to Texaco Exploration and Production Inc. Further, Texaco Exploration and Production Inc. will succeed to the rights, titles, interests and obligations of Texaco Inc.

This means that Texaco Exploration and Production Inc. will be the operator for all the oil and gas properties that were operated by Texaco Inc. and Texaco Producing Inc. We plan to abbreviate the name as Texaco E & P Inc. for purposes of submitting production reports, etc., via computer, and we suggest that for consistency you use that abbreviation also.

We have enclosed a Sundry Notice with a list of the wells which Texaco operates in Utah. Also attached is UIC Form 5 for transfer of injection authority. Please note that Texaco has two Divisions which operate wells in Utah. One is located in Denver, Colorado, and the other is in Midland, Texas. We have enclosed separate Sundry Notices and lists of wells for each Division. If you have questions concerning the Denver-operated wells, please call Roger Hadley at (303) 793-4833. If you have questions concerning the Midland-operated wells, please call Ken Miller at (915) 688-4834.

Please change any of your other records as necessary to reflect this change.

Yours very truly,

R. S. Lane  
Assistant Division Manager

RKH/KMM-CC

Attachments

TRANSFER OF AUTHORITY TO INJECT - UIC FORM 5

RECEIVED

MAY 28 1991

Well name and number: _____		See Attached Listing	DIVISION OF OIL GAS & MINING
Field or Unit name: _____		API no. _____	
Well location: QQ _____ section _____ township _____ range _____ county _____			
Effective Date of Transfer: <u>6-1-91</u>			
<b>CURRENT OPERATOR</b>			
Transfer approved by:			
Name	<u>R. S. Lane</u>	Company	<u>Texaco Inc.</u>
Signature	<u><i>R. S. Lane</i></u>	Address	<u>P. O. Box 3109</u>
Title	<u>Attorney-in-Fact</u>	<u>Midland, TX 79702</u>	
Date	_____	Phone	<u>( 915 ) 688-4100</u>
Comments: Correspondence Address: <u>Texaco Inc.</u> <u>3300 North Butler</u> <u>Farmington, NM 87401</u> <u>(505) 325-4397</u>			
<b>NEW OPERATOR</b>			
Transfer approved by:			
Name	<u>R. S. Lane</u>	Company	<u>Texaco Exploration and Production Inc.</u>
Signature	<u><i>R. S. Lane</i></u>	Address	<u>P. O. Box 3109</u>
Title	<u>Attorney-in-Fact</u>	<u>Midland, TX 79702</u>	
Date	_____	Phone	<u>( 915 ) 688-4100</u>
Comments: Correspondence Address: <u>Texaco Exploration and Production Inc.</u> <u>3300 North Butler</u> <u>Farmington, NM 87401</u> <u>(505) 325-4397</u>			
(State use only)			
Transfer approved by <u><i>Kil [Signature]</i></u>		Title <u><i>UIC Manager</i></u>	
Approval Date <u><i>6-26-91</i></u>			

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING

SUBMIT IN TRIPPLICATE  
(For instructions on  
reverse side)

# SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO.
2. NAME OF OPERATOR Texaco Exploration and Production Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P.O. Box 46510, Denver, CO 80201		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface		8. FARM OR LEASE NAME
10. PERMIT NO.		9. WELL NO.
11. ELEVATIONS (Show whether of, ft. or, etc.)		10. FIELD AND POOL, OR WILDCAT
12. COUNTY OR PARISH		11. SEC. T. R. M., OR S.E. AND SURVEY OR AREA
13. STATE		

DIVISION OF  
OIL GAS & MINING

## 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

### NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐

PULL OR ALTER CASING ☐

FRACURE TREAT ☐

MULTIPLE COMPLETE ☐

SHOOT OR ACIDIZE ☐

ABANDON ☐

REPAIR WELL ☐

CHANGE PLANN ☐

(Other) Transfer of Plugging Bond ☒

### SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐

REPAIRING WELL ☐

FRACURE TREATMENT ☐

ALTERING CASING ☐

SHOOTING OR ACIDIZING ☐

ABANDONMENT ☐

(Other) Transfer of Owner/Operator ☐

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROMISED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Texaco Inc. has assigned all its ownership rights in the subject well. As of January 1, 1991, Texaco Inc. is no longer the Operator of subject well. The New Operator Texaco Exploration and Production Inc. hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Commission for proper plugging and surface restoration of the subject well.

Former Operator:

TEXACO INC.

Signed:

Attorney-In-Fact  
for Texaco Inc.

Date:

3/1/91

New Operator:

Texaco Exploration and Production Inc.

Signed:

Title: Division Manager

Date:

3/1/91

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Division Manager

DATE

3/1/91

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CERTIFICATE OF APPROVAL IF ANY:



**STATE OF UTAH**  
**DEPARTMENT OF NATURAL RESOURCES**  
**DIVISION OF OIL, GAS AND MINING**

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.  
 Use APPLICATION FOR PERMIT— for such proposals

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other (specify)		6. Lease Designation and Serial Number
2. Name of Operator Texaco Exploration and Production Inc.		7. Indian Allottee or Tribe Name
3. Address of Operator 3300 North Butler, Farmington, NM 87401		8. Unit or Communitization Agreement
4. Telephone Number (505) 325-4397		9. Well Name and Number
5. Location of Well Footage : QQ, Sec. T., R., M. : See Attached		10. API Well Number
County : State : UTAH		11. Field and Pool, or Wildcat

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA																											
<p style="text-align: center;"><b>NOTICE OF INTENT</b> (Submit in Duplicate)</p> <table style="width: 100%;"> <tr> <td><input type="checkbox"/> Abandonment</td> <td><input type="checkbox"/> New Construction</td> </tr> <tr> <td><input type="checkbox"/> Casing Repair</td> <td><input type="checkbox"/> Pull or Alter Casing</td> </tr> <tr> <td><input type="checkbox"/> Change of Plans</td> <td><input type="checkbox"/> Recompletion</td> </tr> <tr> <td><input type="checkbox"/> Conversion to Injection</td> <td><input type="checkbox"/> Shoot or Acidize</td> </tr> <tr> <td><input type="checkbox"/> Fracture Treat</td> <td><input type="checkbox"/> Vent or Flare</td> </tr> <tr> <td><input type="checkbox"/> Multiple Completion</td> <td><input type="checkbox"/> Water Shut-Off</td> </tr> <tr> <td><input checked="" type="checkbox"/> Other <u>Transfer of Plugging Bond</u></td> <td></td> </tr> </table> <p>Approximate Date Work Will Start _____</p>	<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing	<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion	<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare	<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off	<input checked="" type="checkbox"/> Other <u>Transfer of Plugging Bond</u>		<p style="text-align: center;"><b>SUBSEQUENT REPORT</b> (Submit Original Form Only)</p> <table style="width: 100%;"> <tr> <td><input type="checkbox"/> Abandonment *</td> <td><input type="checkbox"/> New Construction</td> </tr> <tr> <td><input type="checkbox"/> Casing Repair</td> <td><input type="checkbox"/> Pull or Alter Casing</td> </tr> <tr> <td><input type="checkbox"/> Change of Plans</td> <td><input type="checkbox"/> Shoot or Acidize</td> </tr> <tr> <td><input type="checkbox"/> Conversion to Injection</td> <td><input type="checkbox"/> Vent or Flare</td> </tr> <tr> <td><input type="checkbox"/> Fracture Treat</td> <td><input type="checkbox"/> Water Shut-Off</td> </tr> <tr> <td><input checked="" type="checkbox"/> Other <u>Change of Operator/Operator Name</u></td> <td></td> </tr> </table> <p>Date of Work Completion _____</p> <p>Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.        * Must be accompanied by a cement verification report.</p>	<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing	<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize	<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off	<input checked="" type="checkbox"/> Other <u>Change of Operator/Operator Name</u>	
<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction																										
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing																										
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion																										
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize																										
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare																										
<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off																										
<input checked="" type="checkbox"/> Other <u>Transfer of Plugging Bond</u>																											
<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction																										
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing																										
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize																										
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare																										
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off																										
<input checked="" type="checkbox"/> Other <u>Change of Operator/Operator Name</u>																											

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

This submittal is for a change of operator (name change) for all of the attached wells. The new operator, Texaco Exploration and Production Inc., hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Department for proper plugging and surface restoration of the attached wells. All contact personnel, office addresses and phone numbers will remain the same.

FORMER OPERATOR: TEXACO INC.

NEW OPERATOR: TEXACO EXPLORATION AND PRODUCTION INC.

SIGNED: \_\_\_\_\_

Attorney-in-Fact

SIGNED: \_\_\_\_\_

Assistant Division Manager

DATE: \_\_\_\_\_

DATE: \_\_\_\_\_

14. I hereby certify that the foregoing is true and correct

Name & Signature \_\_\_\_\_

Title Asst. Div. Manager Date \_\_\_\_\_

(State Use Only)

Division of Oil, Gas and Mining  
OPERATOR CHANGE WORKSHEET

Routing:

1- LCR/GIL	✓
2- DTS-DTS	✓
3- VLC	✓
4- RJF	✓
5- RWM	✓
6- LCR	✓

Attach all documentation received by the division regarding this change.  
Initial each listed item when completed. Write N/A if item is not applicable.

- ☐ Change of Operator (well sold)      ☐ Designation of Agent  
☐ Designation of Operator      **xxx** Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 1-1-91)

(TEXACO EXPLORATION AND PRODUCTION INC.)

TO (new operator) <u>TEXACO E &amp; P INC.</u>	FROM (former operator) <u>TEXACO INC.</u>
(address) <u>3300 NORTH BUTLER</u>	(address) <u>3300 NORTH BUTLER</u>
<u>FARMINGTON, NM 87401</u>	<u>FARMINGTON, NM 87401</u>
<u>BRENT HELQUIST</u>	<u>FRANK</u>
phone <u>(505 ) 325-4397</u>	phone <u>(505 ) 325-4397</u>
account no. <u>N 5700 (6-5-91)</u>	account no. <u>N 0980</u>

Well(s) (attach additional page if needed):

Name: <u>(SEE ATTACHED)</u>	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- See 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (5-28-91)
- N/A 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
- See 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes) (no) \_\_\_\_ If yes, show company file number: #114097.
- See 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- See 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (6-11-91)
- See 6. Cardex file has been updated for each well listed above.
- See 7. Well file labels have been updated for each well listed above. (will update when filing)
- See 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission.
- See 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

## ENTITY REVIEW

- Q1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) yes (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- A2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

## BOND VERIFICATION (Fee wells only)

- Q1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. #K0290791-4 80,000-Ins. Co. of N. America rec. 2-11-91.
- Q2. A copy of this form has been placed in the new and former operators' bond files.
- Q3. The former operator has requested a release of liability from their bond (yes/no) yes. Today's date                      19    . If yes, division response was made by letter dated                      19    . #m157448 80,000-Ins. Co. of N. America

## LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- A1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated                      19    , of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- A2. Copies of documents have been sent to State Lands for changes involving State leases. 6-27-91

## REMARKS

1. All attachments to this form have been microfilmed. Date: July 15 1991.

## FILED

- A1. Copies of all attachments to this form have been filed in each well file.
- A2. The original of this form and the original attachments have been filed in the Operator Change file.

## REMARKS

- 910606 Btm/Farmington N.M. - Duane Spencer (505) 327-5344 will follow up & call back.
- 910607 Btm/Farmington - Approved 4-2-91 "Company Merger" Includes Aneth Unit and Ismay Flodine Unit.
- 910607 St. Lands approved 4-15-91 "merger".

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT --" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well: ☐ OIL WELL ☐ GAS WELL ☒ OTHER INJECTION WELL

2. Name of Operator  
TEXACO EXPLORATION & PRODUCTION, INC.

3. Address and Telephone No.  
3300 N. Butler Ave., Suite 100 Farmington NM 87401 (505) 325-4397

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Unit Letter J : 2120 Feet From The SOUTH Line and 1960 Feet From The

EAST Line Section 30 Township T40S Range R25E

5. Lease Designation and Serial No.

I-149-IND-8839

6. If Indian, Alottee or Tribe Name  
NAVAJO TRIBE

7. If Unit or CA, Agreement Designation  
ANETH UNIT

8. Well Name and Number  
ANETH UNIT

L330

9. API Well No.

4303716139

10. Field and Pool, Exploratory Area  
DESERT CREEK

11. County or Parish, State

SAN JUAN, UTAH

12. Check Appropriate Box(s) To Indicate Nature of Notice, Report, or Other Data

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> OTHER: CLEAN OUT
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log Form.)


13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

TEXACO E & P., HAS CLEANED OUT THE SUBJECT WELL. THE FOLLOWING PROCEDURE WAS FOLLOWED.

2/14/97. RU RIH W/COIL TUBING FOUND FRAC SAND IN TOOL. POOH. AND FLUSH SAND OUT.

2/15/97. RIH W/PERF CLEAN TOOL @ 5568'. CLEAN OUT TO 5737'. DISPLACED 900 GAL. OF ACID W/10 BBLS S.W.

POOH W/COIL TUBING. RD. PUT WELL BACK ON INJECTION.



14. I hereby certify that the foregoing is true and correct.

SIGNATURE Rached Hindi TITLE Senior Engineer

DATE 9/24/97

TYPE OR PRINT NAME Rached Hindi

(This space for Federal or State office use)

APPROVED

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Reviewed for WO tax credit 10/97. ✓ 3/98



**Chevron**

**Chevron U.S.A. Production Company**  
Mid-Continent Business Unit  
P.O. Box 36366  
Houston, TX 77236  
Phone 713 754 2000

April 9, 2002

Mr. John Baza,  
Associate Director of Oil and Gas  
Utah Department of Natural Resources  
Division of Oil, Gas & Mining  
1594 W. North Temple St., Suite 1210  
Salt Lake City, UT 84114-5801

**RECEIVED**

**APR 12 2002**

**DIVISION OF  
OIL, GAS AND MINING**

Dear Mr. Baza:

As you may recall from our meeting last year, we planned to combine the assets of Chevron U.S.A. Inc. ("CUSA"), by merger, and Texaco Exploration and Production Inc. ("TEPI"), by assignment, into a new entity which we referred to as "Newco LP". Along the way, additional information came to light and it was decided that this proposed corporate restructure would not be preferable. Therefore, CUSA and TEPI have continued to operate as separate entities.

We are now planning a simpler restructuring process where TEPI will assign most of its assets/operatorship to CUSA effective May 1, 2002. We plan to use the existing CUSA bonds/letters of credit, operator identification numbers, etc., for the TEPI assets that will be assigned.

A task force of Land, Regulatory and Environmental Compliance personnel are finishing the work that was begun last year to assign TEPI's assets—using the same forms and procedures as before. We have "new faces" in this task force due to reassignments and departures. In some cases, it may be worthwhile to visit you and your staff in person where new people are involved or if we need to review/clarify your forms and procedures. Otherwise, we will endeavor to complete the work to assign TEPI's assets/operatorship to CUSA and deliver the requisite materials to you in a timely manner.

During discussions last year, our focus was on Land, Regulatory and Environmental matters. The Finance organization also desires to join in this effort. For State Tax, Royalty and Regulatory reporting purposes (applicable to production from May 2002 through December 2002), we intend to generate two reports and two payments.

However, the reporting company name and identification number will be CUSA's. Beginning with January 2003 production and thereafter, we will issue only one CUSA report and payment. We trust this plan meets with your approval. Any questions or comments should be directed to Rick Dunlavy (telephone 713/752-7411, [rickdunlavy@chevrontexaco.com](mailto:rickdunlavy@chevrontexaco.com)).

We appreciate the cooperation and guidance you provided us in the past, and we look forward to bringing these efforts to a conclusion.

Respectfully submitted,

A handwritten signature in dark ink, appearing to read "Don R. Sellars", written in a cursive style.

Don R. Sellars

Sr. Environmental Specialist

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Operator Name Change</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: See Attached List of Wells
2. NAME OF OPERATOR: Chevron U.S.A. Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: BLM & State of Utah
3. ADDRESS OF OPERATOR: P.O. Box 36366 CITY Houston STATE TX ZIP 77236		7. UNIT or CA AGREEMENT NAME: Orangeville & Huntington
4. LOCATION OF WELL FOOTAGES AT SURFACE: See Attached List of Wells		8. WELL NAME and NUMBER: See Attached List of Wells
PHONE NUMBER: (281) 561-3443		9. API NUMBER:
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL, OR WILDCAT:

COUNTY: Emery

STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: <u>Operator Name Change (Merger)</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective May 1, 2002, Chevron U.S.A. Inc. is the new operator of the attached list of subject wells and leases that were previously operated by Texaco Exploration and Production Inc. The subject wells are located North of Orangeville and North of Huntington, Emery County, Utah. These Wells will be protected by the following surety bonds:

STATE OF UTAH Bond #: 103521627-0018 in the amount of \$80,000. (This bond will replace United Pacific Insurance Company bond number U89-75-80-0059. We respectfully request this bond be released and returned.)

BLM Nationwide Bond#: U89-75-81-0034 in the amount of \$300,000.

Key Contacts:

Ron Wirth - Operations Supervisor - 435 748-5395 x1

Texaco Exploration & Production Inc.

J. S. Purdy, Attorney-In-Fact

RECEIVED

MAY 06 2002

DIVISION OF  
OIL, GAS AND MINING

NAME (PLEASE PRINT) Allen S. Robinson

TITLE Attorney-In-Fact

SIGNATURE 

DATE April 30, 2002

(This space for State use only)


# TRANSFER OF AUTHORITY TO INJECT

Well Name and Number Orangeville & Huntington, Emery County, Utah (See Attached Well List)		API Number
Location of Well Footage: See attached well locations County: Emery QQ, Section, Township, Range: State: UTAH		Field or Unit Name See Attached Well List Lease Designation and Number See Attached Well List

EFFECTIVE DATE OF TRANSFER: 5/1/2002


## CURRENT OPERATOR

Company: Texaco Exploration and Production Inc  
Address: 3300 North Butler, Suite 100  
city Farmington state NM zip 87401  
Phone: (505) 325-4397  
Comments:


Name: Allen S. Robinson  
Signature:   
Title: Attorney-In-Fact  
Date: April 30, 2002

## NEW OPERATOR

Company: Chevron U.S.A. Inc.  
Address: P.O. Box 36366  
city Houston state TX zip 79702  
Phone: (915) 687-2000  
Comments:

Name: J. Scott Purdy  
Signature:   
Title: Attorney-In-Fact  
Date: May 1, 2002

(This space for State use only)

Transfer approved by:   
Title: Tech Services Manager

Approval Date: 10/21/02

Comments:

RECEIVED

MAY 06 2002

DIVISION OF  
OIL, GAS AND MINING



Chevron U.S.A. Inc.  
Permian Business Unit  
Aneth Operations  
San Juan County, Utah

Name / Operatorship Change  
Texaco Exploration and Production Inc.  
to  
Chevron U.S.A. Inc.  
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	11	400S	230E	4303716034	MESA 1 (ANETH C411)	1	I	WI
N5700	12	400S	230E	4303716272	BURTON 23-12 (ANETH B312)	1	A	WI
N5700	12	400S	230E	4303716274	BURTON 31-12 (ANETH C-112)	1	I	WI
N5700	12	400S	230E	4303716278	BURTON 42-12 (ANETH D212)	1	A	WI
N5700	12	400S	230E	4303730049	ANETH UNIT D-412	1	A	WI
N5700	12	400S	230E	4303730112	ANETH UNIT C-312	1	A	WI
N5700	13	400S	230E	4303715825	BURTON 22-13 (ANETH B-213)	1	A	WI
N5700	13	400S	230E	4303715827	BURTON 31-13 (ANETH C-113)	1	A	WI
N5700	13	400S	230E	4303715828	BURTON 33-13 (ANETH C-313)	1	A	WI
N5700	13	400S	230E	4303715830	BURTON 42-13 (D213)	1	A	WI
N5700	13	400S	230E	4303716279	BURTON 44-13 (ANETH D-413)	1	A	WI
N5700	13	400S	230E	4303730119	ANETH UNIT A-113	1	A	WI
N5700	13	400S	230E	4303730174	ANETH UNIT D113	1	A	WI
N5700	13	400S	230E	4303730297	ANETH B-413	1	A	WI
N5700	13	400S	230E	4303730299	ANETH UNIT A-313	1	A	WI
N5700	14	400S	230E	4303716032	ARROWHEAD 6 (ANETH B-114)	1	A	WI
N5700	14	400S	230E	4303716033	ARROWHEAD 3 (ANETH C-214)	1	A	WI
N5700	14	400S	230E	4303716035	ARROWHEAD 5 (ANETH C-414)	1	A	WI
N5700	14	400S	230E	4303716038	ARROWHEAD 4 (ANETH D-314)	1	A	WI
N5700	14	400S	230E	4303716273	ARROWHEAD 2 (ANETH B-314)	1	A	WI
N5700	14	400S	230E	4303716277	ARROWHEAD 1 (ANETH D-114)	1	A	WI
N5700	23	400S	230E	4303716271	A W RICE 2 (ANETH B-123)	1	A	WI
N5700	23	400S	230E	4303716276	A W RICE 3 (ANETH C-223)	1	A	WI
N5700	24	400S	230E	4303716270	FEDERAL A-1 (ANETH A-124)	1	A	WI
N5700	24	400S	230E	4303716275	FEDERAL 1 (ANETH C-124)	1	A	WI
N5700	07	400S	240E	4303715412	W ISMY FED 3 (ANETH E307)	1	A	WI
N5700	07	400S	240E	4303715415	W ISMAY FED 2 (ANETH F-407)	1	A	WI
N5700	07	400S	240E	4303716100	NAVAJO FED 6-1 (ANETH G-307)	1	A	WI
N5700	07	400S	240E	4303716118	NAVAJO FED 7-1 (ANETH H-207)	1	I	WI
N5700	07	400S	240E	4303716283	GULF-AZTEC FED 7 (ANETH E-207)	1	A	WI
N5700	07	400S	240E	4303716322	NAVAJO TRIBE FED 5-1 (ANETH H-407)	2	A	WI

Chevron U.S.A. Inc.  
Permian Business Unit  
Aneth Operations  
San Juan County, Utah

Name / Operatorship Change  
Texaco Exploration and Production Inc.  
to  
Chevron U.S.A. Inc.  
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	07	400S	240E	4303730175	ANETH U E407	1	A	WI
N5700	08	400S	240E	4303716060	NAVAJO TRIBE E-15 (ANETH E-308)	2	A	WI
N5700	08	400S	240E	4303716076	NAVAJO FED 8-1 (ANETH F-208)	2	A	WI
N5700	08	400S	240E	4303716101	NAVAJO TRIBE L-6 (ANETH G-308)	2	A	WI
N5700	08	400S	240E	4303716119	NAVAJO TRIBE E-16 (ANETH H-208)	2	A	WI
N5700	08	400S	240E	4303716284	NAVAJO FED 9-1 (ANETH E-208)	2	A	WI
N5700	08	400S	240E	4303716298	NAVAJO TRIBE E-13 (ANETH F-408)	2	A	WI
N5700	08	400S	240E	4303716323	NAVAJO TRIBE L-3 (ANETH H-408)	2	A	WI
N5700	09	400S	240E	4303716061	NAVAJO TRIBE E-14 (ANETH E-309)	2	A	WI
N5700	09	400S	240E	4303716082	NAVAJO TRIBE E-4 (ANETH F-409)	2	A	WI
N5700	10	400S	240E	4303716125	NAVAJO TRIBE E-7 (ANETH H-410)	2	I	WI
N5700	11	400S	240E	4303715940	ANETH UNIT E-411	2	A	WI
N5700	11	400S	240E	4303715944	NAVAJO A-10/34-11 (ANETH G-411)	2	A	WI
N5700	11	400S	240E	4303716295	NAVAJO A-12/23-11 (ANETH F-311)	2	A	WI
N5700	13	400S	240E	4303715938	NAV TRIBE A-13 (ANETH E-213)	2	A	WI
N5700	13	400S	240E	4303715941	NAVAJO A-4 (ANETH E-413)	2	A	WI
N5700	14	400S	240E	4303715939	NAVAJO A-6 (ANETH E-214)	2	A	WI
N5700	14	400S	240E	4303715942	ANETH F-314	2	A	WI
N5700	14	400S	240E	4303715943	NAVAJO A-7/32-14 (ANETH G-214)	2	A	WI
N5700	14	400S	240E	4303715945	NAVAJO A-1/34-14 (ANETH G-414)	2	A	WI
N5700	14	400S	240E	4303716310	NAVAJO A-9/41-14 (ANETH H-114)	2	A	WI
N5700	14	400S	240E	4303716421	ANETH UNIT E414	2	A	WI
N5700	14	400S	240E	4303716422	ANETH UNIT F-114	2	A	WI
N5700	14	400S	240E	4303731381	ANETH UNIT H314X	2	I	WI
N5700	15	400S	240E	4303716116	ANETH G-415	2	A	WI
N5700	15	400S	240E	4303716296	NAVAJO TRIBAL E-8 (ANETH F-315)	2	A	WI
N5700	15	400S	240E	4303730213	ANETH E-315	2	A	WI
N5700	15	400S	240E	4303730312	ANETH H-315	2	A	WI
N5700	16	400S	240E	4303715832	STATE THREE 11-16 (ANETH E-116)	3	A	WI
N5700	16	400S	240E	4303716285	ST THREE 21-16 (ANETH F-116)	3	A	WI
N5700	16	400S	240E	4303716297	ST THREE 23-16 (ANETH F-316)	3	A	WI

Chevron U.S.A. Inc.  
Permian Business Unit  
Aneth Operations  
San Juan County, Utah

Name / Operatorship Change  
Texaco Exploration and Production Inc.  
to  
Chevron U.S.A. Inc.  
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	16	400S	240E	4303716312	STATE THREE 42-16 (ANETH H-216)	3	A	WI
N5700	16	400S	240E	4303720230	ANETH H-416	3	A	WI
N5700	16	400S	240E	4303730094	ANETH E-316	3	A	WI
N5700	16	400S	240E	4303730107	ANETH G-316	3	A	WI
N5700	16	400S	240E	4303730333	ANETH F-416	3	A	WI
N5700	16	400S	240E	4303730344	ANETH G-116	3	A	WI
N5700	17	400S	240E	4303716049	ANETH UNIT E-117	2	A	WI
N5700	17	400S	240E	4303716062	NAVAJO TRIBAL G-7 (ANETH E317)	2	A	WI
N5700	17	400S	240E	4303716089	NAVAJO TRIBAL G-3 (ANETH G-117)	2	A	WI
N5700	17	400S	240E	4303716103	NAVAJO TRIBAL 1-X-G (ANETH G-317)	2	A	WI
N5700	17	400S	240E	4303716286	NAVAJO TRIBAL G-8 (ANETH F-217)	2	A	WI
N5700	17	400S	240E	4303716299	NAVAJO TRIBAL G-6 (ANETH F-417)	2	A	WI
N5700	17	400S	240E	4303716313	NAV TRIBAL L-4 (ANETH H-217)	2	A	WI
N5700	17	400S	240E	4303716326	NAVAJO TRIBAL L-1 (ANETH H-417)	2	A	WI
N5700	18	400S	240E	4303715083	NAVAJO TRIBAL FED U 3	2	A	WI
N5700	18	400S	240E	4303715413	ANETH U E-118 (W ISMY FED 1)	1	A	WI
N5700	18	400S	240E	4303716063	NAVAJO TRIBAL 4 (ANETH E-318)	1	A	WI
N5700	18	400S	240E	4303716090	NAVAJO TRIBE 2 (ANETH G-118)	2	A	WI
N5700	18	400S	240E	4303716104	NAVAJO TRIBE G-4 (ANETH G-318)	2	A	WI
N5700	18	400S	240E	4303716120	NAVAJO TRIBAL G-5 (ANETH H-218)	2	A	WI
N5700	18	400S	240E	4303716287	NAVAJO FED U 1 (ANETH F-218)	2	A	WI
N5700	18	400S	240E	4303716327	NAVAJO TRIBAL G-2 (ANETH H-418)	2	A	WI
N5700	18	400S	240E	4303730137	ANETH U E218	1	A	WI
N5700	18	400S	240E	4303730155	ANETH U F118	1	A	WI
N5700	19	400S	240E	4303716077	NAVAJO TRIBE D-26 (ANETH F-219)	2	A	WI
N5700	19	400S	240E	4303716091	NAVAJO TRIBE D-16 (ANETH G-119)	2	A	WI
N5700	19	400S	240E	4303716121	NAVAJO TRIBE D-3 (ANETH H-219)	2	A	WI
N5700	19	400S	240E	4303716280	NAVAJO FED U B-1 (ANETH E-119)	2	A	WI
N5700	19	400S	240E	4303716309	NAVAJO TRIBE D-25 (ANETH G-319)	2	A	WI
N5700	19	400S	240E	4303716328	NAVAJO TRIBE D-27 (ANETH H-419)	2	A	WI
N5700	20	400S	240E	4303716050	NAVAJO TRIBE D-10 (ANETH E-120)	2	A	WI

Chevron U.S.A. Inc.  
Permian Business Unit  
Aneth Operations  
San Juan County, Utah

Name / Operatorship Change  
Texaco Exploration and Production Inc.  
to  
Chevron U.S.A. Inc.  
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	20	400S	240E	4303716065	NAVAJO TRIBE D-17 (ANETH E-320)	2	A	WI
N5700	20	400S	240E	4303716092	NAVAJO TRIBE L-5 (ANETH G-120)	2	A	WI
N5700	20	400S	240E	4303716105	NAVAJO TRIBE D-12 (ANETH G-320)	2	A	WI
N5700	20	400S	240E	4303716288	NAVAJO TRIBE D-8 (ANETH F-220)	2	A	WI
N5700	20	400S	240E	4303716300	NAVAJO TRIBE D-20 (ANETH F-420)	2	A	WI
N5700	20	400S	240E	4303716314	NAVAJO TRIBE L-2 (ANETH H-220)	2	A	WI
N5700	20	400S	240E	4303716329	NAVAJO TRIBE D-13 (ANETH H-420)	2	A	WI
N5700	21	400S	240E	4303716051	NAVAJO TRIBE D-4 (ANETH E-121)	2	A	WI
N5700	21	400S	240E	4303716066	NAVAJO TRIBE D-14 (ANETH E-321)	2	A	WI
N5700	21	400S	240E	4303716078	NAVAJO TRIBE D-6 (ANETH F-221)	2	A	WI
N5700	21	400S	240E	4303716084	NAVAJO TRIBE D-21 (ANETH F-421)	2	A	WI
N5700	21	400S	240E	4303716122	NAVAJO TRIBE D-7 (ANETH H-221)	2	A	WI
N5700	21	400S	240E	4303716330	NAVAJO TRIBE D-24 (ANETH H-421)	2	A	WI
N5700	21	400S	240E	4303730095	ANETH G-321X	2	A	WI
N5700	21	400S	240E	4303730335	ANETH G-121X	2	A	WI
N5700	22	400S	240E	4303716067	NAVAJO TRIBE D-19 (ANETH E-322)	2	A	WI
N5700	22	400S	240E	4303716085	NAVAJO TRIBE D-23 (ANETH F-422)	2	A	WI
N5700	22	400S	240E	4303716117	NAVAJO TRIBE D-2 (ANETH H-122)	2	A	WI
N5700	22	400S	240E	4303716127	NAVAJO TRIBE D-22 (ANETH H-422)	2	I	WI
N5700	22	400S	240E	4303720231	ANETH G-322X	2	A	WI
N5700	22	400S	240E	4303730215	ANETH E-122	2	A	WI
N5700	22	400S	240E	4303730242	ANETH H-222	2	A	WI
N5700	22	400S	240E	4303730373	ANETH F-222	2	A	WI
N5700	22	400S	240E	4303730425	ANETH G-122	2	A	WI
N5700	23	400S	240E	4303716068	NAVAJO TRIBE C-12 (ANETH E-323)	2	A	WI
N5700	23	400S	240E	4303716079	NAVAJO TRIBE C-7 (ANETH F-223)	2	A	WI
N5700	23	400S	240E	4303716086	NAVAJO TRIBE C-17 (ANETH F-423)	2	A	WI
N5700	23	400S	240E	4303716123	NAVAJO TRIBE C-8 (ANETH H-223)	2	A	WI
N5700	23	400S	240E	4303716128	NAVAJO TRIBE C-3 (ANETH H-423)	2	A	WI
N5700	23	400S	240E	4303716306	NAVAJO TRIBE C-1 (ANETH G-123)	2	A	WI
N5700	23	400S	240E	4303730235	ANETH F-123	2	A	WI

Chevron U.S.A. Inc.  
Permian Business Unit  
Aneth Operations  
San Juan County, Utah

Name / Operatorship Change  
Texaco Exploration and Production Inc.  
to  
Chevron U.S.A. Inc.  
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	24	400S	240E	4303716069	NAVAJO TRIBE C-10 (ANETH E-324)	2	A	WI
N5700	24	400S	240E	4303716087	NAVAJO TRIBE C-13 (ANETH F-424)	2	A	WI
N5700	24	400S	240E	4303716111	NAVAJO TRIBE C-15 (ANETH G-324)	2	A	WI
N5700	24	400S	240E	4303716289	NAVAJO TRIBE C-16 (ANETH F-224)	2	A	WI
N5700	24	400S	240E	4303716331	NAVAJO TRIBE C-28 (ANETH H-424)	2	A	WI
N5700	25	400S	240E	4303716070	NAVAJO TRIBE C-21 (ANETH E-325)	2	A	WI
N5700	25	400S	240E	4303716080	NAVAJO TRIBE C-20 (F225)	2	A	WI
N5700	25	400S	240E	4303716095	ANETH UNIT G125	2	A	WI
N5700	25	400S	240E	4303716124	NAVAJO TRIBE C-11 (ANETH H-225)	2	A	WI
N5700	25	400S	240E	4303716129	NAVAJO TRIBE C-24 (ANETH H-425)	2	A	WI
N5700	25	400S	240E	4303716301	NAVAJO TRIBE C-32 (ANETH F-425)	2	A	WI
N5700	26	400S	240E	4303716054	NAVAJO TRIBE C-29 (ANETH E-126)	2	A	WI
N5700	26	400S	240E	4303716071	NAVAJO TRIBE C-30 (ANETH E-326)	2	A	WI
N5700	26	400S	240E	4303716113	NAVAJO TRIBE C-27 (ANETH G-326)	2	A	WI
N5700	26	400S	240E	4303716290	NAVAJO TRIBE C-23 (ANETH F-226)	2	A	WI
N5700	26	400S	240E	4303716302	NAVAJO TRIBE C-4 (ANETH F-426)	2	A	WI
N5700	26	400S	240E	4303716316	NAVAJO TRIBE C-19 (ANETH H-226)	2	A	WI
N5700	26	400S	240E	4303716332	NAVAJO TRIBE C-31 (ANETH H-426)	2	A	WI
N5700	26	400S	240E	4303730372	ANETH G-126X	2	A	WI
N5700	27	400S	240E	4303716223	ANETH 27-B2 (ANETH F-227)	2	I	WI
N5700	27	400S	240E	4303716307	ANETH 27-C-1 (ANETH G-127)	2	A	WI
N5700	27	400S	240E	4303716317	ANETH 27-D2 (ANETH H-227)	2	A	WI
N5700	27	400S	240E	4303716333	ANETH 27-D-4 (ANETH H-427)	2	A	WI
N5700	27	400S	240E	4303716782	ANETH 27-A-1 (ANETH E-127)	2	A	WI
N5700	28	400S	240E	4303716222	ANETH 28-A-1 (ANETH E-128)	2	A	WI
N5700	28	400S	240E	4303716224	ANETH 28-C-1 (ANETH G-128)	2	A	WI
N5700	28	400S	240E	4303716228	ANETH H-228	2	A	WI
N5700	29	400S	240E	4303716055	NAVAJO TRIBE S-2 (ANETH E-129)	2	A	WI
N5700	29	400S	240E	4303716097	NAVAJO TRIBE S-1 (ANETH G-129)	2	A	WI
N5700	29	400S	240E	4303716292	NAVAJO TRIBE S-4 (ANETH F-229)	2	I	WI
N5700	29	400S	240E	4303716318	NAVAJO TRIBE S-3 (ANETH H-229)	2	A	WI

Chevron U.S.A. Inc.  
Permian Business Unit  
Aneth Operations  
San Juan County, Utah

Name / Operatorship Change  
Texaco Exploration and Production Inc.  
to  
Chevron U.S.A. Inc.  
Injection Wells

Account						Lease	Well Status	Well Type
Number	Section	Township	Range	API Number	Well Name	Type	Main	Main
N5700	34	400S	240E	4303716303	ANETH 34-B-4 (ANETH F-434)	2	A	WI
N5700	34	400S	240E	4303716319	ANETH 34-D2 (ANETH H-234)	2	I	WI
N5700	35	400S	240E	4303716293	NAVAJO TRIBE Q-5 (ANETH F-235)	2	A	WI
N5700	35	400S	240E	4303716304	NAVAJO TRIBE Q-8 (ANETH F-435)	2	A	WI
N5700	35	400S	240E	4303716320	NAVAJO TRIBE Q-4 (ANETH H-235)	2	A	WI
N5700	36	400S	240E	4303715485	NAVAJO 4 (ANETH E-136)	2	A	WI
N5700	36	400S	240E	4303715486	NAV TRB 2-A (G136)	2	A	WI
N5700	36	400S	240E	4303715487	NAVAJO 1 (ANETH H-236)	2	A	WI
N5700	36	400S	240E	4303716294	NAVAJO 3 (ANETH F-236)	2	A	WI
N5700	19	400S	250E	4303716140	ANETH UNIT L-419	2	A	WI
N5700	29	400S	250E	4303716131	NAVAJO TRIBE F-8 (ANETH J-129)	2	A	WI
N5700	30	400S	250E	4303716132	NAVAJO TRIBE F-9 (ANETH J-130)	2	A	WI
N5700	30	400S	250E	4303716134	NAVAJO TRIBE F-5 (ANETH J-330)	2	A	WI
N5700	30	400S	250E	4303716135	NAVAJO TRIBE F-2 (ANETH K-230)	2	A	WI
N5700	30	400S	250E	4303716137	NAVAJO TRIBE F-7 (ANETH K-430)	2	A	WI
N5700	30	400S	250E	4303716139	NAVAJO TRIBE F-6 (ANETH L-330)	2	A	WI
N5700	30	400S	250E	4303716141	NAVAJO TRIBE F-10 (ANETH M-230)	2	A	WI
N5700	30	400S	250E	4303716337	NAVAJO TRIBE F-11 (ANETH M-430)	2	A	WI
N5700	31	400S	250E	4303715946	NAVAJO TRIBE C11-31 (J131)	2	A	WI
N5700	31	400S	250E	4303716335	NAVAJO TRIBE C-22-31 (ANETH K-231)	2	A	WI

**THE  
NAVAJO  
NATION****MINERALS DEPARTMENT**

Post Office Box 1910

Window Rock, Arizona 86515

Phone: (928) 871-6587 • Fax: (928) 871-7095

**KELSEY A. SEGAYE**  
PRESIDENT**TAYLOR MCKENZIE, M.D.**  
VICE PRESIDENT

October 11, 2002

Mr. Don Sellars  
Regulatory Specialist  
ChevronTexaco  
11111 S. Wilcrest  
Houston, Texas 77099

Subject: Navajo Nation Assignment of Oil & Gas Lease

Dear Mr. Sellars:

Attached are fourteen (14) approved Navajo Nation Assignment of Oil and Gas Lease applications for assignment of interest from Texaco Exploration & Production, Inc. to Chevron U.S.A., Inc. (Chevron) for the following leases:

- |                     |                     |                      |
|---------------------|---------------------|----------------------|
| 1) I-149-IND-8834   | 6) I-149-IND-8839   | 11) 14-20-603-4035   |
| 2) I-149-IND-8835   | 7) 14-20-603-2057   | 12) 14-20-603-4037   |
| 3) I-149-IND-8836   | 8) 14-20-603-2059   | 13) 14-20-603-5043-A |
| 4) I-149-IND-8838   | 9) 14-20-603-4030-A | 14) 14-20-603-5446   |
| 5) I-149-IND-8839-A | 10) 14-20-603-4032  |                      |

If you have any questions, please call me or Mr. Brad Nesemeier at (928) 871-6587.

Sincerely,

  
Akhtar Zaman, Director  
Minerals Department

Attachments  
AZ/GLB/cab

## OPERATOR CHANGE WORKSHEET

## ROUTING

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change

X Merger

The operator of the well(s) listed below has changed, effective: <b>05-01-2002</b>	
<b>FROM: (Old Operator):</b>	<b>TO: ( New Operator):</b>
TEXACO EXPLORATION & PRODUCTION INC	CHEVRON USA INC
Address: 3300 NORTH BUTLER, STE 100	Address: P O BOX 36366
FARMINGTON, NM 87401	HOUSTON, TX 79702
Phone: 1-(505)-325-4397	Phone: 1-(915)-687-2000
Account No. N5700	Account No. N0210

CA No. Unit: ANETH

## WELL(S)

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
NAVAJO 3 (ANETH F-236)	36-40S-24E	43-037-16294	99990	INDIAN	WIW	A
ANETH L-419	19-40S-25E	43-037-16140	99990	INDIAN	WIW	A
NAVAJO TRIBE F-8 (ANETH J-129)	29-40S-25E	43-037-16131	99990	INDIAN	WIW	A
NAVAJO TRIBE F-9 (ANETH J-130)	30-40S-25E	43-037-16132	99990	INDIAN	WIW	A
NAVAJO TRIBE F-5 (ANETH J-330)	30-40S-25E	43-037-16134	99990	INDIAN	WIW	A
NAVAJO TRIBE F-2 (ANETH K-230)	30-40S-25E	43-037-16135	99990	INDIAN	WIW	A
NAVAJO TRIBE F-7 (ANETH K-430)	30-40S-25E	43-037-16137	99990	INDIAN	WIW	A
NAVAJO TRIBE F-6 (ANETH L-330)	30-40S-25E	43-037-16139	99990	INDIAN	WIW	A
NAVAJO TRIBE F-10 (ANETH M-230)	30-40S-25E	43-037-16141	99990	INDIAN	WIW	A
NAVAJO TRIBE F-11 (ANETH M-430)	30-40S-25E	43-037-16337	99990	INDIAN	WIW	A
NAVAJO TRIBE C11-31 (J-131)	31-40S-25E	43-037-15946	7000	INDIAN	WIW	A
NAVAJO TRIBE C-22-31 (ANETH K-231)	31-40S-25E	43-037-16335	99990	INDIAN	WIW	A

## OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-2-10) Sundry or legal documentation was received from the **FORMER** operator on: 05/06/2002
2. (R649-2-10) Sundry or legal documentation was received from the **NEW** operator on: 04/12/2002
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 10/16/2002
4. Is the new operator registered in the State of Utah: YES Business Number: 564408-0143
5. If **NO**, the operator was contacted contacted on: N/A



6. (R649-9-2) Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 10/11/2002

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 10/11/2002

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 10/21/2002

**DATA ENTRY:**

1. Changes entered in the **Oil and Gas Database** on: 10/28/2002

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 10/28/2002

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

**STATE WELL(S) BOND VERIFICATION:**

1. State well(s) covered by Bond Number: N/A

**FEDERAL WELL(S) BOND VERIFICATION:**

1. Federal well(s) covered by Bond Number: N/A

**INDIAN WELL(S) BOND VERIFICATION:**

1. Indian well(s) covered by Bond Number: 8975810026

**FEE WELL(S) BOND VERIFICATION:**

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A

2. The **FORMER** operator has requested a release of liability from their bond on: N/A

The Division sent response by letter on: N/A

**LEASE INTEREST OWNER NOTIFICATION:**

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

**COMMENTS: Chevron USA Inc merged with Texaco Exploration & Production Inc to form ChevronTexaco Inc although all the Utah operations will be operated by Chevron USA Inc.**

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Injection wells</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See Attachment</u>
2. NAME OF OPERATOR: <u>Resolute Natural Resources Company</u> <u>N2700</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>Navajo</u>
3. ADDRESS OF OPERATOR: <u>1675 Broadway, Suite 1950</u> CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u>		7. UNIT or CA AGREEMENT NAME: <u>Aneth Unit</u>
PHONE NUMBER: <u>(303) 534-4600</u>		8. WELL NAME and NUMBER: <u>See Attachment</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: <u>See Attachment</u>		9. API NUMBER: <u>See Attach</u>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL, OR WILDCAT: <u>Desert Creek</u>

COUNTY: San Juan

STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of Operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as Operator of the Aneth Unit. The successor operator is Resolute Natural Resources Company.

NAME (PLEASE PRINT)

Tamara Pasque

TITLE

Vice President

SIGNATURE

Tamara Pasque

DATE

11/30/04

(This space for state use only)

**APPROVED** 12/29/2004  
ER  
Division of Oil, Gas and Mining  
Earlene Russell, Engineering Technician

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>See attached exhibit.</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See attached exhibit.</u>
2. NAME OF OPERATOR: <u>Resolute Natural Resources Company</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>Navajo</u>
3. ADDRESS OF OPERATOR: <u>1675 Broadway, Suite 1950</u> CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u>		7. UNIT or CA AGREEMENT NAME: <u>Aneth Unit</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: <u>[REDACTED]</u>		8. WELL NAME and NUMBER: <u>See attached exhibit.</u>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: <u>[REDACTED]</u>		9. API NUMBER: <u>See attached exhibit.</u>
COUNTY: <u>San Juan</u>		10. FIELD AND POOL, OR WILDCAT: <u>Aneth</u>
STATE: <u>UTAH</u>		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as operator of the Aneth Unit. Resolute Natural Resources Company has been elected the successor operator.

RECEIVED

DEC 22 2004

DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) Chevron U.S.A. Inc. NO210 TITLE A. E. Wacker, Attorney-in-Fact  
SIGNATURE A. E. Wacker DATE 12/20/2004

(This space for State use only)

APPROVED 12/29/2004  
ER  
Division of Oil, Gas and Mining  
Earlene Russell, Engineering Technician

Well Name and Number See attached exhibit.	API Number See attached exhibit.
Location of Well  Footage : [REDACTED] County : San Juan	Field or Unit Name Aneth Unit
QQ, Section, Township, Range: [REDACTED] State : UTAH	Lease Designation and Number See attached exhibit.

N0210

Comments:

~~RECEIVED~~

DEC 22 2004

N2700

DIV. OF OIL, GAS & MINING

Date: 12/21/00

Comments:

Transfer approved by:

Approval Date:

Title:

Title: VIC Geologist.

Comments: Transfer of Authority to Inject into the Aneth C214 and Aneth B14 contingent on this office receiving a corrective action plan for each well. Both well Aneth 214 failed 5 year test on 10/13/2004. Operator would not conduct scheduled 5 year test on Aneth B14. (considered a failure).

NUM	API NUM	Q1	Q2	SEC	TWSP	RNG	LEGAL	Lease	Status 12/1/04	NNEPA Well List	USEPA Well List	UIC Program
H222	4303730242	SE	NW	22	40S	24E		I-149-IND-8836	Active	H222	H222	Navajo Nation
F418	4303715083	SE	SW	18	T40S	R24E	650' FSL/1825' FWL	I-149-IND-8835	Active	F418	F418	Navajo Nation
E307	4303715412	NW	SW	7	T40S	R24E	1980' FSL/660' FWL	SL-067807	Active	E307	E307	Navajo Nation
E118	4303715413	NW	NW	18	T40S	R24E	660' FNL/660' FWL	SL-067807	Active	E118	E118	Navajo Nation
F407	4303715415	SE	SW	7	T40S	R24E	660' FSL/1980' FWL	SL-067807	Active	F407	F407	Navajo Nation
E136	4303715485	NW	NW	36	T40S	R24E	660' FNL/660' FWL	14-20-603-5444	Active	E136	E136	Navajo Nation
G136	4303715486	NW	NE	36	T40S	R24E	785' FNL/2040' FEL	14-20-603-5443	Active	G136	G136	Navajo Nation
H236	4303715487	SE	NE	36	T40S	R24E	1980' FNL/660' FEL	14-20-603-5443	P/A			Navajo Nation
B213	4303715825	SE	NW	13	T40S	R23E	3300' FSL/3300' FEL	SL-070968-A	Active			State of Utah
C113	4303715827	NW	NE	13	T40S	R23E	4602' FSL/1993' FEL	SL-070968-A	Active			State of Utah
C313	4303715828	NW	SE	13	T40S	R23E	1949' FSL/1991' FEL	SL-070968-A	Active			State of Utah
D213	4303715830	SE	NE	13	T40S	R23E	3263' FSL/660' FEL	SL-070968-A	Active			State of Utah
E116	4303715832	NW	NW	16	T40S	R24E	601' FNL/550' FWL	ML-3156	Active	E116	E116	Navajo Nation
E213	4303715938	SW	NW	13	T40S	R24E	2140' FNL/740' FWL	I-IND-149-8837	Active	E213	E213	Navajo Nation
E214	4303715939	SW	NW	14	T40S	R24E	1940' FNL/650' FWL	I-149-IND-8837	Active	E214	E214	Navajo Nation
E411	4303715940	SW	SW	11	T40S	R24E	500' FSL/820' FWL	I-149-IND-8837	Active	E411	E411	Navajo Nation
E413	4303715941	SW	SW	13	T40S	R24E	660' FSL/660' FWL	IND-149-8837	Active	E413	E413	Navajo Nation
F314	4303715942	NE	SW	14	T40S	R24E	1980' FSL/1980'FWL	I-149-IND-8837	Active	F314	F314	Navajo Nation
G214	4303715943	SW	NE	14	T40S	R24E	2140' FNL/2010' FEL	I-149-IND-8839	P/A			Navajo Nation
G411	4303715944	SW	SE	11	T40S	R24E	680' FSL/1950' FEL	I-149-IND-8837	Active	G411	G411	Navajo Nation
G414	4303715945	SW	SE	14	T40S	R24E	660' FSL/1980' FEL	I-149-IND-8837	Active	G414	G414	Navajo Nation
J131	4303715946	NW	NW	31	T40S	R25E	660' FNL/638' FWL	14-20-603-372	Active	J131	J131	Navajo Nation
B114	4303716032	NE	NW	14	T40S	R23E	660' FNL/1980' FWL	SL-070968	Shut-In			State of Utah
C214	4303716033	SW	NE	14	T40S	R23E	1890' FNL/1930' FEL	SL-070968	Shut-In			State of Utah
C411	4303716034	SW	SE	11	T40S	R23E	600' FSL/2010' FEL	SL-070968-B	P/A			State of Utah
C414	4303716035	SW	SE	14	T40S	R23E	760' FSL/2000' FEL	SL-070968	Active			State of Utah
D314	4303716038	NE	SE	14	T40S	R23E	1980' FSL/660' FEL	SL-070968	Active			State of Utah
E117	4303716049	NW	NW	17	T40S	R24E	520' FNL/645' FWL	I-149-IND-8835	Active	E117	E117	Navajo Nation
E120	4303716050	NW	NW	20	T40S	R24E	660' FNL/660' FWL	I-149-IND-8836	Active	E120	E120	Navajo Nation
E121	4303716051	NW	NW	21	T40S	R24E	660' FNL/760' FWL	I-149-IND-8836	Active	E121	E121	Navajo Nation
E126	4303716054	NW	NW	26	T40S	R24E	760' FNL/660' FWL	I-149-IND-8838	Active	E126	E126	Navajo Nation
E129	4303716055	NW	NW	29	T40S	R24E	660' FNL/660' FWL	14-20-603-4030	Active	E129	E129	Navajo Nation
E308	4303716060	NW	SW	8	T40S	R24E	1820' FSL/645' FWL	I-149-IND-8833	Active	E308	E308	Navajo Nation
E309	4303716061	NW	SW	9	T40S	R24E	1900' FSL/500' FWL	I-149-IND-8834	P/A			Navajo Nation
E317	4303716062	NW	SW	17	40S	24E	1980' FSL/660' FWL	I-149-IND-8835	Active	E317	E317	Navajo Nation
E318	4303716063	NW	SW	18	T40S	R24E	1980' FSL/660' FWL	SL-067807	Active	E318	E318	Navajo Nation
E319	4303716064	NW	SW	19	T40S	R24E	2040' FSL/680' FWL	I-149-IND-8836	P/A			Navajo Nation
E320	4303716065	NW	SW	20	T40S	R24E	2140' FSL/820' FWL	I-149-IND-8836	Active	E320	E320	Navajo Nation
E321	4303716066	NW	SW	21	T40S	R24E	2140' FSL/720' FWL	I-149-IND-8836	Active	E321	E321	Navajo Nation
E322	4303716067	NW	SW	22	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8836	Active	E322	E322	Navajo Nation
E323	4303716068	NW	SW	23	T40S	R24E	1980' FSL/510' FWL	I-149-IND-8838	Active	E323	E323	Navajo Nation
E324	4303716069	NW	SW	24	T40S	R24E	1980' FSL/660'FWL	I-149-IND-8838	Active	E324	E324	Navajo Nation
E325	4303716070	NW	SW	25	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E325	E325	Navajo Nation
E326	4303716071	NW	SW	26	T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838	Active	E326	E326	Navajo Nation
F115	4303716074	NE	NW	15	T40S	R24E	690' FNL/2140' FWL	I-149-IND-8834	Active	F115	F115	Navajo Nation

F208	4303716076	SE	NW	8	T40S	R24E	2140' FNL/2050' FWL	I-149-IND-8833	Active	F208	F208	Navajo Nation
F219	4303716077	SE	NW	19	T40S	R24E	1820' FNL/2140' FWL	I-149-IND-8836	Active	F219	F219	Navajo Nation
F221	4303716078	SE	NW	21	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8836	Active	F221	F221	Navajo Nation
F223	4303716079	SE	NW	23	T40S	R24E	1980' FNL/1820' FWL	I-149-IND-8838	Active	F223	F223	Navajo Nation
F225	4303716080	SE	NW	25	T40S	R24E	2040' FNL/2080' FWL	I-149-IND-8838	Active	F225	F225	Navajo Nation
F409	4303716082	SE	SW	9	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8834	Active	F409	F409	Navajo Nation
F421	4303716084	SE	SW	21	T40S	R24E	585' FSL/1990' FWL	I-149-IND-8836	Active	F421	F421	Navajo Nation
F422	4303716085	SE	SW	22	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8836	Active	F422	F422	Navajo Nation
F423	4303716086	SE	SW	23	T40S	R24E	770' FSL/1955' FWL	I-149-IND-8838	Active	F423	F423	Navajo Nation
F424	4303716087	SE	SW	24	T40S	R24E	660' FSL/2100' FWL	I-149-IND-8838	Active	F424	F424	Navajo Nation
G117	4303716089	NW	NE	17	T40S	R24E	660' FNL/1980' FEL	I-149-IND-8835	Active	G117	G117	Navajo Nation
G118	4303716090	NW	NE	18	T40S	R24E	800' FNL/1910' FEL	I-149-IND-8835	Active	G118	G118	Navajo Nation
G119	4303716091	NW	NE	19	T40S	R24E	660' FNL/2140' FEL	I-149-IND-8836	Active	G119	G119	Navajo Nation
G120	4303716092	NW	NE	20	T40S	R24E	660' FNL/1980' FEL	I-149-IND-8833	Active	G120	G120	Navajo Nation
G125	4303716095	NW	NE	25	T40S	R24E	660' FNL/2140' FEL	I-149-IND-8838	Active	G125	G125	Navajo Nation
G129	4303716097	NW	NE	29	T40S	R24E	580' FNL/1905' FEL	14-20-603-4030	Active	G129	G129	Navajo Nation
G307	4303716100	NW	SE	7	T40S	R24E	1900' FSL/1995' FEL	SL-067807	Active	G307	G307	Navajo Nation
G308	4303716101	NW	SE	8	T40S	R24E	1975' FSL/1830' FEL	I-149-IND-8834	Active	G308	G308	Navajo Nation
G317	4303716103	NW	SE	17	T40S	R24E	1778' FSL/1900' FEL	I-149-IND-8835	Active	G317	G317	Navajo Nation
G318	4303716104	NW	SE	18	T40S	R24E	2125' FSL/1980' FEL	I-149-IND-8835	Active	G318	G318	Navajo Nation
G320	4303716105	NW	SE	20	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8836	Active	G320	G320	Navajo Nation
G324	4303716111	NW	SE	24	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8838	Active	G324	G324	Navajo Nation
G326	4303716113	NW	SE	26	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8838	Active	G326	G326	Navajo Nation
G415	4303716116	SW	SE	15	T40S	R24E	820' FSL/2400' FEL	I-149-IND-8834	Active	G415	G415	Navajo Nation
H122	4303716117	NE	NE	22	T40S	R24E	660' FNL/660' FEL	I-149-IND-8836	Active	H122	H122	Navajo Nation
H207	4303716118	SE	NE	7	T40S	R24E	1820' FNL/820' FEL	SL-067807	T/A			State of Utah
H208	4303716119	SE	NE	8	T40S	R24E	2140' FNL/660' FEL	I-149-IND-8833	Active	H208	H208	Navajo Nation
H218	4303716120	SE	NE	18	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8835	Active	H218	H218	Navajo Nation
H219	4303716121	SE	NE	19	T40S	R24E	1945' FNL/607' FEL	I-149-IND-8836	Active	H219	H219	Navajo Nation
H221	4303716122	SE	NE	21	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8836	Active	H221	H221	Navajo Nation
H223	4303716123	SE	NE	23	T40S	R24E	1820' FNL/730' FEL	I-149-IND-8838	Active	H223	H223	Navajo Nation
H225	4303716124	SE	NE	25	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8838	Active	H225	H225	Navajo Nation
H410	4303716125	SE	SE	10	T40S	R24E	625' FSL/545' FEL	I-149-IND-8834	P/A			Navajo Nation
H422	4303716127	SE	SE	22	T40S	R24E	^660' FSL/660' FEL	I-149-IND-8836	P/A			Navajo Nation
H423	4303716128	SE	SE	23	T40S	R24E	820' FSL/450' FEL	I-149-IND-8838	Active	H423	H423	Navajo Nation
H425	4303716129	SE	SE	25	T40S	R24E	660' FSL/660' FEL	I-149-IND-8838	Active	H425	H425	Navajo Nation
J129	4303716131	NW	NW	29	T40S	R25E	620' FNL/615' FWL	I-149-IND-8839	P/A			Navajo Nation
J130	4303716132	NW	NW	30	T40S	R25E	720' FNL/590' FEL	I-149-IND-8839	Shut-In	J130	J130	Navajo Nation
J330	4303716134	NW	SW	30	T40S	R25E	2060' FSL/800' FWL	I-149-IND-8839	Active	J330	J330	Navajo Nation
K230	4303716135	SE	NW	30	T40S	R25E	2075' FSL/2140' FWL	I-149-IND-8839	Shut-In	K230	K230	Navajo Nation
K430	4303716137	SE	SW	30	T40S	R25E	660' FSL/1980' FWL	I-149-IND-8839	Active	K430	K430	Navajo Nation
L330	4303716139	NW	SE	30	T40S	R25E	2120' FSL/1960' FEL	I-149-IND-8839	Active	L330	L330	Navajo Nation
L419	4303716140	SW	SE	19	T40S	R25E	660' FSL/1980' FEL	I-149-IND-8839	Active	L419	L419	Navajo Nation
M230	4303716141	SE	NE	30	T40S	R25E	1930' FNL/660' FEL	I-149-IND-8839	Active	M230	M230	Navajo Nation
E128	4303716222	NW	NW	28	T40S	R24E	660' FNL/660' FWL	14-20-603-2056	Active	E128	E128	Navajo Nation
F227	4303716223	SE	NW	27	T40S	R24E	1980' FNL/1980' FWL	14-20-603-2056	T/A			Navajo Nation
G128	4303716224	NW	NE	28	T40S	R24E	660' FNL/1980' FEL	14-20-603-2056	Shut-In	G128	G128	Navajo Nation

H228	4303716228	SE	NE	28	T40S	R24E	2080' FNL/560' FEL	14-20-603-2056	T/A			Navajo Nation
A124	4303716270	NW	NW	24	T40S	R23E	500' FNL/500' FWL	SL-0701010-C	Active			State of Utah
B123	4303716271	NE	NW	23	T40S	R23E	500' FNL/2140' FWL	SL-0701010	Active			State of Utah
B312	4303716272	NE	SW	12	T40S	R23E	3295' FNL/3348' FEL	SL-070968-A	Active	B312	B312	Navajo Nation
B314	4303716273	NE	SW	14	T40S	R23E	2030' FSL/2030' FWL	SL-070968	Active			State of Utah
C112	4303716274	NW	NE	12	T40S	R23E	658' FNL/1974' FEL	SL-070968-A	P/A			State of Utah
C124	4303716275	NW	NE	24	T40S	R23E	660' FNL/1980' FEL	SL-0701010-C	P/A			State of Utah
C223	4303716276	SW	NE	23	T40S	R23E	1820' FNL/1980' FEL	SL-0701010	P/A			State of Utah
D114	4303716277	NE	NE	14	T40S	R23E	660' FNL/760' FEL	SL-070968	Active			State of Utah
D212	4303716278	SE	NE	12	T40S	R23E	1860' FNL/656' FEL	SL-070968-A	Shut-In	D212	D212	Navajo Nation
D413	4303716279	SE	SE	13	T40S	R23E	660' FSL/661' FEL	SL-070968-A	Active			State of Utah
E119	4303716280	NW	NW	19	T40S	R24E	500' FNL/820' FWL	I-149-IND-8836	Active	E119	E119	Navajo Nation
E207	4303716283	SW	NW	7	T40S	R24E	2030' FNL 750 FWL		T/A	E207	E207	
E208	4303716284	SW	NW	8	T40S	R24E	1930' FNL/500' FWL	I-149-IND-8833	T/A			Navajo Nation
F116	4303716285	NE	NW	16	T40S	R24E	660' FNL/1980' FWL	ML-3156	Active	F116	F116	Navajo Nation
F217	4303716286	SE	NW	17	T40S	R24E	1890' FNL/1930' FWL	I-149-IND-8835	Active	F217	F217	Navajo Nation
F218	4303716287	SE	NW	18	T40S	R24E	1970' FNL/2060' FWL	I-149-IND-8835	Active	F218	F218	Navajo Nation
F220	4303716288	SE	NW	20	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8836	Active	F220	F220	Navajo Nation
F224	4303716289	SE	NW	24	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8838	Active	F224	F224	Navajo Nation
F226	4303716290	SE	NW	26	T40S	R24E	1950' FNL/1900' FWL	I-149-IND-8838	Active	F226	F226	Navajo Nation
F229	4303716292	SE	NW	29	T40S	R24E	2015' FNL/1930' FWL	14-20-603-4030	P/A	F229	F229	Navajo Nation
F235	4303716293	SE	NW	35	T40S	R24E	1825' FNL/2010' FWL	14-20-603-2059	Active	F235	F235	Navajo Nation
F236	4303716294	SE	NW	36	T40S	R24E	1980' FNL/1980' FWL	14-20-603-5444	Active	F236	F236	Navajo Nation
F311	4303716295	NE	SW	11	T40S	R24E	1820' FSL/1980' FWL	I-149-IND-8837	P/A			Navajo Nation
F315	4303716296	NE	SW	15	T40S	R24E	1980' FSL/2010' FWL	I-149-IND-8834	Active	F315	F315	Navajo Nation
F316	4303716297	NE	SW	16	T40S	R24E	2260' FSL/2140' FWL	ML-3156	Active	F316	F316	Navajo Nation
F408	4303716298	SE	SW	8	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8833	Active	F408	F408	Navajo Nation
F417	4303716299	SE	SW	17	T40S	R24E	500' FSL/2140' FWL	I-149-IND-8835	Active	F417	F417	Navajo Nation
F420	4303716300	SE	SW	20	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8836	Active	F420	F420	Navajo Nation
F425	4303716301	SE	SW	25	T40S	R24E	795' FSL/1960' FWL	I-149-IND-8838	Active	F425	F425	Navajo Nation
F426	4303716302	SE	SW	26	T40S	R24E	632' FSL/1867' FWL	I-149-IND-8838	P/A			Navajo Nation
F434	4303716303	SE	SW	34	T40S	R24E	815' FSL/1860' FWL	14-20-603-2056	P/A			Navajo Nation
F435	4303716304	SE	SW	35	T40S	R24E	820' FSL/1930' FWL	14-20-603-2059	T/A			Navajo Nation
G123	4303716306	NW	NE	23	T40S	R24E	660' FNL/1530' FEL	I-149-IND-8838	Active	G123	G123	Navajo Nation
G127	4303716307	NW	NE	27	T40S	R24E	660' FNL/1980' FEL	14-20-603-2056	Active	G127	G127	Navajo Nation
G319	4303716309	NW	SE	19	T40S	R24E	1920' FSL/2060' FEL	I-149-IND-8836	Active	G319	G319	Navajo Nation
H216	4303716312	SE	NE	16	T40S	R24E	3331' FSL/703' FEL	ML-3156	Active	H216	H216	Navajo Nation
H217	4303716313	SE	NE	17	T40S	R24E	2070' FNL/820' FEL	I-149-IND-8833	Active	H217	H217	Navajo Nation
H220	4303716314	SE	NE	20	T40S	R24E	2025' FNL/560' FEL	I-149-IND-8833	Active	H220	H220	Navajo Nation
H226	4303716316	SE	NE	26	T40S	R24E	1980' FNL/780' FEL	I-149-IND-8838	Active	H226	H226	Navajo Nation
H227	4303716317	SE	NE	27	T40S	R24E	1980' FNL/630' FEL	14-20-603-2056	Active	H227	H227	Navajo Nation
H229	4303716318	SE	NE	29	T40S	R24E	1820' FNL/660' FEL	14-20-603-4030	Shut-In	H229	H229	Navajo Nation
H234	4303716319	SE	NE	34	T40S	R24E	1980' FNL/660' FEL	14-20-603-2056	Active	H234	H234	Navajo Nation
H235	4303716320	SE	NE	35	T40S	R24E	2000' FNL/770' FEL	14-20-603-2059	Active	H235	H235	Navajo Nation
H407	4303716322	SE	SE	7	T40S	R24E	645' FSL/500' FEL	I-149-IND-8835	Active	H407	H407	Navajo Nation
H408	4303716323	SE	SE	8	T40S	R24E	500' FSL/530' FEL	I-149-IND-8834	Active	H408	H408	Navajo Nation
H417	4303716326	SE	SE	17	T40S	R24E	500' FSL/690' FEL	I-149-IND-8833	Active	H417	H417	Navajo Nation

H418	4303716327	SE	SE	18	T40S	R24E	660' FSL/660' FEL	I-149-IND-8835	Active	H418	H418	Navajo Nation
H419	4303716328	SE	SE	19	T40S	R24E	570' FSL/450' FEL	I-149-IND-8836	P/A			Navajo Nation
H420	4303716329	SE	SE	20	T40S	R24E	660' FSL/660' FEL	I-149-IND-8836	Active	H420	H420	Navajo Nation
H421	4303716330	SE	SE	21	T40S	R24E	500' FSL/750' FEL	I-149-IND-8836	Active	H421	H421	Navajo Nation
H424	4303716331	SE	SE	24	T40S	R24E	820' FSL/610' FEL	I-149-IND-8838	Active	H424	H424	Navajo Nation
H426	4303716332	SE	SE	26	T40S	R24E	710' FSL/510' FEL	I-149-IND-8838	Active	H426	H426	Navajo Nation
H427	4303716333	SE	SE	27	T40S	R24E	660' FSL/660' FEL	14-20-603-2056	Active	H427	H427	Navajo Nation
K231	4303716335	SE	NW	31	T40S	R25E	2014' FNL/2054' FWL	14-20-603-372A	Active	K231	K231	Navajo Nation
M430	4303716337	SE	SE	30	T40S	R25E	670' FSL/790' FEL	I-149-IND-8839	Active	M430	M430	Navajo Nation
E414	4303716421	SW	SW	14	T40S	R24E	750' FSL/620' FWL	I-149-IND-8837	Active	E414	E414	Navajo Nation
F114	4303716422	NE	NW	14	40S	24E	720' FNL/1870' FWL	I-149-IND-8839	Active	F114	F114	Navajo Nation
E127	4303716782	NW	NW	27	T40S	R24E	660' FNL/660' FWL	14-20-603-2056	P/A			Navajo Nation
H416	4303720230	SE	SE	16	T40S	R24E	150' FSL/660' FEL	ML-3156	Active	H416	H416	Navajo Nation
G322X	4303720231	NW	SE	22	T40S	R24E	1550' FSL/1720' FEL	I-149-IND-8836	Active	G322X	G322X	Navajo Nation
D412	4303730049	SE	SE	12	T40S	R23E	500' FSL/150' FEL	SL-070968-A	Active	D412	D412	Navajo Nation
E316	4303730094	NW	SW	16	T40S	R24E	2190' FSL/128' FWL	ML-3156	Active	E316	E316	Navajo Nation
G321X	4303730095	NW	SE	21	T40S	R24E	1900' FSL/1755' FEL	I-149-IND-8836	Shut-In	G321X	G321X	Navajo Nation
G316	4303730107	NW	SE	16	T40S	R24E	2320' FSL/1745' FEL	ML-3156	Active	G316	G316	Navajo Nation
C312	4303730112	NW	SE	12	T40S	R23E	1610' FSL/1800' FEL	SL-070968-A	Active	C312	C312	Navajo Nation
A113	4303730119	NW	NW	13	T40S	R23E	700' FNL/650' FWL	SL-070968-A	Active			State of Utah
E218	4303730137	SW	NW	18	T40S	R24E	1860' FNL/660' FWL	SL-067807	Active	E218	E218	Navajo Nation
F118	4303730155	NE	NW	18	T40S	R24E	619' FNL/2184' FWL	SL-067807	Active	F118	F118	Navajo Nation
D113	4303730174	NE	NE	13	T40S	R23E	578' FNL/619' FEL	SL-070968-A	Active			State of Utah
E407	4303730175	SW	SW	7	T40S	R24E	618' FSL/577' FWL	SL-067807	Active	E407	E407	Navajo Nation
E315	4303730213	NW	SW	15	T40S	R24E	2212' FSL/591' FWL	I-149-IND-8834	Active	E315	E315	Navajo Nation
E122	4303730215	NW	NW	22	T40S	R24E	528' FNL/660' FWL	I-149-IND-8836	Active	E122	E122	Navajo Nation
F123	4303730235	NE	NW	23	T40S	R24E	660' FNL/2046' FWL	I-149-IND-8838	Shut-In	F123	F123	Navajo Nation
B413	4303730297	SE	SW	13	T40S	R23E	660' FSL/1980' FWL	SL-070968-A	Active			State of Utah
A313	4303730299	NW	SW	13	T40S	R23E	1840' FSL/470' FWL	SL-070968-A	Active			State of Utah
H315	4303730312	NE	SE	15	T40S	R24E	1980' FSL/660' FEL	I-149-IND-8834	Active	H315	H315	Navajo Nation
F416	4303730333	SE	SW	16	T40S	R24E	1000' FSL/1980' FWL	ML-3156	Active	F416	F416	Navajo Nation
G121X	4303730335	NW	NE	21	T40S	R24E	790' FNL/1780' FEL	I-149-IND-8836	Active	G121X	G121X	Navajo Nation
G116	4303730344	NW	NE	16	T40S	R24E	660' FNL/1980' FEL	ML-3156	Active	G116	G116	Navajo Nation
G126X	4303730372	NW	NE	26	T40S	R24E	860' FNL/1780' FEL	I-149-IND-8838	Active	G126X	G126X	Navajo Nation
F222	4303730373	SE	NW	22	T40S	R24E	1920' FNL/1980' FWL	I-149-IND-8836	Active	F222	F222	Navajo Nation
G122	4303730425	NW	NE	22	T40S	R24E	570' FNL/1960' FEL	I-149-IND-8836	Active	G122	G122	Navajo Nation
H314X	4303731381	NE	SE	14	T40S	R24E	1950' FSL/570' FEL	I-149-IND-8837	Active	H314X	H314X	Navajo Nation



## OPERATOR CHANGE WORKSHEET

## ROUTING

1. GLH

2. CDW

3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

12/1/2004

**FROM: (Old Operator):**

N0210-Chevron USA, Inc.  
PO Box 4791  
Houston, TX 77210-4791

Phone: 1-(713) 752-7431

**TO: ( New Operator):**

N2700-Resolute Natural Resources Company  
1675 Broadway, Suite 1950  
Denver, CO 80202

Phone: 1-(303) 534-4600

CA No.

Unit:

ANETH

**WELL(S)**

NAME	SEC TWN RNG			API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
NAVAJO TRIBE E-16 (ANETH H-208)	08	400S	240E	4303716119	99990	Indian	WI	A
NAVAJO TRIBE E-7 (ANETH H-410)	10	400S	240E	4303716125	99990	Indian	WI	I
NAVAJO TRIBAL G-5 (ANETH H-218)	18	400S	240E	4303716120	99990	Indian	WI	A
NAVAJO TRIBE D-3 (ANETH H-219)	19	400S	240E	4303716121	99990	Indian	WI	A
NAVAJO TRIBE D-7 (ANETH H-221)	21	400S	240E	4303716122	99990	Indian	WI	A
NAVAJO TRIBE D-2 (ANETH H-122)	22	400S	240E	4303716117	99990	Indian	WI	A
NAVAJO TRIBE D-22 (ANETH H-422)	22	400S	240E	4303716127	7000	Indian	WI	I
NAVAJO TRIBE C-8 (ANETH H-223)	23	400S	240E	4303716123	99990	Indian	WI	A
NAVAJO TRIBE C-3 (ANETH H-423)	23	400S	240E	4303716128	7000	Indian	WI	A
NAVAJO TRIBE C-11 (ANETH H-225)	25	400S	240E	4303716124	11883	Indian	WI	A
NAVAJO TRIBE C-24 (ANETH H-425)	25	400S	240E	4303716129	99990	Indian	WI	A
ANETH 27-B2 (ANETH F-227)	27	400S	240E	4303716223	7000	Indian	WI	I
ANETH 28-A-1 (ANETH E-128)	28	400S	240E	4303716222	7000	Indian	WI	A
ANETH 28-C-1 (ANETH G-128)	28	400S	240E	4303716224	7000	Indian	WI	A
ANETH UNIT L-419	19	400S	250E	4303716140	99990	Indian	WI	A
NAVAJO TRIBE F-8 (ANETH J-129)	29	400S	250E	4303716131	99990	Indian	WI	A
NAVAJO TRIBE F-9 (ANETH J-130)	30	400S	250E	4303716132	99990	Indian	WI	A
NAVAJO TRIBE F-5 (ANETH J-330)	30	400S	250E	4303716134	99990	Indian	WI	A
NAVAJO TRIBE F-2 (ANETH K-230)	30	400S	250E	4303716135	99990	Indian	WI	A
NAVAJO TRIBE F-7 (ANETH K-430)	30	400S	250E	4303716137	99990	Indian	WI	A
NAVAJO TRIBE F-6 (ANETH L-330)	30	400S	250E	4303716139	99990	Indian	WI	A
NAVAJO TRIBE F-10 (ANETH M-230)	30	400S	250E	4303716141	99990	Indian	WI	A

## OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/22/20042. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 12/13/20043. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 11/22/2004

4. Is the new operator registered in the State of Utah: YES Business Number: 5733505-0143

5. If NO, the operator was contacted on:

6a. (R649-9-2) Waste Management Plan has been received on: requested

6b. Inspections of LA PA state/fee well sites complete on: 12/20/2004

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA not yet

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: not yet

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: \_\_\_\_\_

**DATA ENTRY:**

1. Changes entered in the Oil and Gas Database on: 12/29/2004
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 12/29/2004
3. Bond information entered in RBDMS on: n/a
4. Fee/State wells attached to bond in RBDMS on: n/a
5. Injection Projects to new operator in RBDMS on: separate list
6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

**FEDERAL WELL(S) BOND VERIFICATION:**

1. Federal well(s) covered by Bond Number: B001263

**INDIAN WELL(S) BOND VERIFICATION:**

1. Indian well(s) covered by Bond Number: B001264

**FEE & STATE WELL(S) BOND VERIFICATION:**

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number B001262

2. The **FORMER** operator has requested a release of liability from their bond on: not yet  
The Division sent response by letter on: \_\_\_\_\_

**LEASE INTEREST OWNER NOTIFICATION:**

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: \_\_\_\_\_

**COMMENTS:**